Growth Is Our Way

Date: 20/11/2023

To,
IRO Gandhinagar, MOEFCC
A-407 & A-409,
"ARANYA BHAWAN", Near CH-3 circle
Sector-10A, Gandhinagar-382010.

SUB: COMPLIANCE REPORT FOR THE PERIOD OF APRIL 2023 TO SEPTEMBER 2023 FOR EXPANSION OF CAPACITIES FOR FULLY DRAWN YARN, POLYESTER CHIPS & CAPTIVE POWER PLANT AT M/S. SHREE DURGA SYNTEX Pvt. Ltd . BLOCK NO. 129 & 175, PLOT NO. Z & E, VILLAGE: JOLVA, TALUKA: PALSANA, DIST: SURAT, GUJARAT.

REF: 1. F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

2. F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018

Dear Sir,

With reference to the Environmental Clearance obtained from MoEF for our production unit of Fully Drawn Yarn, Polyester Chips we are hereby enclosing the Compliance Report for the period of **APRIL 2023 TO SEPTEMBER 2023** of Environmental Clearance issued to us.

Now onwards we are giving assurance to you that we will submit six monthly compliance reports.

We hope you would find the same in order and do the needful.

Thanking You,

Yours faithfully,

For,

M/s. Shree Durga Syntex Pvt. Ltd

Authorized signatory

Enclosure: a/a

Copy to:

(1) The Member Secretary **Gujarat Pollution Control Board**State level Environment Impact Assessment Authority (SEIAA)

Gujarat Pollution Control Board

Paryavaran Bhavan, Sector – 10 – A

Gandhinagar – 382010

Ph.: 99740 93573 / 74, 02622 274477 / 274478, Website: www.shreedurgasyntex.com

CIN: U17119GJ2003PTC041979 GSTIN: 24AABCD8894P1ZV

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant By M/s. Shree Durga Syntex Pvt Ltd at Plot no: E & Z, block no. 128, 129, 130 & 175, Village: Jolva,

Taluka: Palsana, Dist: Surat., Gujarat

Sr.No CONDITIONS

1

The Ministry of Environment and Forests has examined your application. It is noted that M/s Shree Durga Syntex Pvt. Ltd have proposed for expansion of capacities for Fully Drawn Yarn, Polyester Chips Captive power plant at block no. 129 & 175, plot no. Z & E, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat. As par latest CCA. The production capacity of Fully Drawn yarn is 500 MTPD and Quantity of power is 12.25 MW is based on gas and 21.0 MW is based on coal . It is proposed to manufacture 800 MTPD of polyester chips by continuous polymerization. It is proposed to increase production capacity along with backward integration polyester chips/ liquid polyester to avoid melting process of polyester chips for producing FDY. No sensitive areas are located within 10 km radius of the plant. The Last expansion will be carried within the existing unit having land area of 9000 m², of which green belt will be developed in 33% of the total land area. Cost of the project is Rs.150.00 Crores, of which Rs. 30.00 lakhsis earmarked for Environmental Protection

Measures.

COMPLIANCE STATUS

We have obtained Amendment in Environment Clearance vide order no.: SEIAA/GUJ/EC/5(d) & 1(d) / 1346 / 2018dated: 14/12/2018and Consolidated Consent & Authorization vide order no.: AWH - 120323, GPCB/CCA-SRT-995(5)/ID-21289/680357, dated: 25/07/2022 with validity up to 03/07/2028.Copy thereof are attached as Annexure–I(A) and Annexure– I(B), respectively for your reference.

Area statement of the project shown in below table:

PROJECT AREA	EXISTING	PROPOSED	TOTAL
	AREA (m2)	AREA (m2)	AREA
			(m2)
Plant & M/c area	2790.00	6750.00	9540.00
Utility area	9913.00		9913.00
Storage area	3853.00		3853.00
Office area	231.67		231.67
Road area	4422.00	327.00	4749.00
Green belt area	5462.00	3500.00	8962.00
Open Area	37058.33		26481.33
Total	63730.00	10577.00	63730.00

We ensure that 33.0% green belt area has been provided in proposed land of **10577.00** m². Photographs of the same are as follows:





F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at Plot no: E & Z, block no. 128, 129, 130 & 175, Village: Jolva,

Taluka: Palsana, Dist: Surat., Gujarat



2

The total water requirement after the expansion will be 1114 m³/d, which will be sourced from groundwater source. Permission for withdrawal of 1381m³/d of ground water was obtained on 10.12.2020. The waste water generation will be not exceed 549 m³/day. The domestic Waste water will be not exceed 26KLD, and waste water disposed of into ETP. treated Domestic wastewater. Used to floor washing, cooling blow down, DM back wash and condensate. The process passing wastewater after through settling tank will be discharged in to the pipeline of PEPL, leading to PEPL CETP. Power requirement will be met through the Captive power plant. Fuel requirement will be natural gas (76,875 m³/day) or LDO (100 m³/day) Stack height of 30 m is proposed for existing CPP Engine(3Nos) and, Stack height of 11 m is proposed for steam boiler.

Complied.

Permission for withdrawing ground water is obtained from CGWA for 1381 m³/Day. Please find attachment as ANNEXURE- V.

As we have obtained Amendment in Environment Clearance vide order no.: SEIAA/GUJ/EC/5(d) & 1(d)/1346/ 2018 dated: 14/12/2018 and Consolidated Consent & Authorization vide order no.: AWH – 120323, GPCB/CCA-SRT-995(5)/ID-21289/680357, dated: : 25/07/2022 with validity up to 03/07/2028. The Total water requirement for the total production is 1114KLD. And Total waste water generation after proposed expansion is 575KLD

The Avg. Total water consumption in last six months is **1068.71 KL/Day**. Monthly Total Water consumption details are given as below;

SN	Month	Qty (KL/Month)	Qty (KL/Day)
1	April 2023	36871	1229
2	May 2023	37107	1197
3	June 2023	32618	1087
4	July 2023	24010	774.5
5	August 2023	32519	1049
6	September 2023	37276	1075.8

The Avg. industrial waste water generation in last six months is **463.09 KL/Day**. Monthly waste water generation details are given as below;

SN	Month	Qty (KL/Month)	Qty (KL/Day)		
1	April 2023	14756	491.86		
2	May 2023	13857	447		
3	June 2023	14722	490.73		
4	July 2023	14069	453.83		
5	August 2023	13316	429.54		
6	September 2023	13968	465.6		

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

		Fuel consur	nption det	ails are as below;		į
			SN	Month	COAL (MT/Month)	
			1	April 2023	11,351.00	
			2	May 2023	8,550.00	
			3	June 2023	11,376.00	
			4	July 2023	12,099.00	
			5	August 2023	12,497.00	
			6	September 2023	9,597.00	
	location of the plant outside or inside the notified industrial area. In the instant case, the unit is located outside the industrial area hence this is a category "A" project and appraised by the Expert Appraisal committee (I) at centre.					
4	The proposal was considered by the Expert Appraisal Committee (Industry) in its 92 nd meeting held on 18 th - 20 th March, 2009. The EAC (I) recommended the proposal for grant of environmental clearance under para 7(ii) of EIA Notification, 2006 exempting the project from preparation of EIA report and public hearing.	Noted.				
5	Based on the information submitted by the project authorities, the Ministry of Environment and Forests hereby	Noted.				

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at Plot no: E & Z, block no. 128, 129, 130 & 175, Village: Jolva,
Taluka: Palsana, Dist: Surat., Gujarat

to above project under the
provisions of ElA Notification,
dated 14 th September 2006
subject to the compliance of the
following Specific and General
Conditions:

A SPECIFIC CONDITIONS:

1. The industrial effluent generation shall not exceed 549KL/D. The effluent after treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (26KL/D) shall be disposed in ETP.

Complied.

The Avg. industrial waste water generation in last six months is **463.09 KL/Day**. Monthly waste water generation details are given as below;

SN	Month	Qty (KL/Month)	Qty (KL/Day)
1	April 2023	14756	491.86
2	May 2023	13857	447
3	June 2023	14722	490.73
4	July 2023	14069	453.83
5	August 2023	13316	429.54
6	September 2023	13968	465.6

To monitor the same, online flow meter is operational at the outlet of treated effluent discharge line to CETP. The logbook for the same is maintained at ETP. The generated industrial waste water is treated in ETP. The treated effluent is discharged to PEPL-CETP through pipeline. The waste water treated meets CETP inlet norms. Analysis report of the same is attached as **ANNEXURE-III.** M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory,[NABL Certificate No.TC -5304] & Validity is-16/12/2022 till 15/12/2024 NABL Certificate of Approved Laboratory is Attached as an . The domestic waste water generated is discharged in ETP. After treated water reuse in cooling tower and washing purpose.

2. There shall not be any process emissions due to the proposed activity. For dispersion of gaseous emissions from the steam boiler and CPP engines and TFH, adequate height as per CPCB standards shall be provided. Measures for control of NOx emissions shall be undertaken.

Complied.

We ensure that there will not be any process emission due to our production activity. For dispersion of gaseous emission from the Steam Boiler, CPP engine and TFH following APCM, Stack are provided;

Stack No.	Stack Attached To	Stack Ht	APCM
1.	Natural gas based CPP Engines- 3 Nos. Stand by	30	
2.	Natural gas based Steam Boiler (1 TPH)	11	
3.	Coal Based Thermic Fluid Heater(14,000 U)	50	
4.	1 TPH Boiler with TFH (14000 U)	11	

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at Plot no: E & Z, block no. 128, 129, 130 & 175, Village: Jolva,

Taluka: Palsana, Dist: Surat., Gujarat

5.	Natural Gas Based Thermic	20	
J.	Fluid Heater(200 U x 2 nos.)	20	
	One Stand by		
6.	Natural Gas Based LDO/FO	35	
	based Thermic Fluid Heater		
	$(10000 \text{ U}) \times 2$ one Stand By		
7.	Captive Power Plant (9 MW)	80	ESP
8.	Steam Boiler (70 TPH) for	80	Economizer, Air
	coal based Power Plant (21		Preheater
	MW)		
9.	Steam Boiler (23 TPH) for		
	coal based Power Plant (21		
	MW)		
10.	Thermic Fluid Heater (Coal	50	ESP
	based) (18 million Kcal/Hr)		
11.	Steam Boiler (2 TPH)	50	Waste Heat
			Recovery System

^{*} DG Set Not Available





3. The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the State Pollution Control Board. The criteria pollutant

Complied.

We have uploaded the status of compliance of Environmental Clearance including results of monitored data on our website. It also simultaneously submitted to Regional office of MoEF&CC.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant
By M/s. Shree Durga Syntex Pvt Ltd at Plot no: E & Z, block no. 128, 129, 130 & 175, Village: Jolva,
Taluka: Palsana, Dist: Surat., Gujarat

levels namely; SPM, RSPM, SO₂, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.



The pollutant levels namely; SPM, RSPM, SO₂, NOx (ambient levels as well as stack emission) or critical sectoral parameters, are monitored periodically and displayed at display board near main gate in public domain.

4. The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000. All Transportation of Hazardous Chemicals shall be as per the MVA, 1989.

The company shall undertake following Waste Minimization measures

- i. Metering and control of quantities of active ingredients to minimize waste.
 - Reuse of byproducts from the process as raw materials or as raw material substitutes in other processes.
 - Use of automated filling to minimize spillage.
 - Use of "Close Feed" system into batch reactors.
 - Venting equipment through vapor recovery

Noted.

Complied.

- A. Metering is being done to monitor and control of active raw materials to minimize the waste. i.e. Flow meters are provided at MEG handling system
- B. Automatic filling / transfer system is being provided to minimize the spillage i.e. Chain conveyor system provided at PTA handling area and then stored in Silo and transferred to Schenck system to paste tank for plant.
- C. Reuse of byproducts / used oil / drums is being sent to authorized recyclers

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

	system. • Use of high pressure hoses for equipment clearing to reduce wastewater generation.						
ii.	Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by GPCB.	Complied. Work zone monitoring is being can NABL Approved. Ambient Air Monitoring Reports are	•				
iii.	During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.	Complied. We are ensuring that during transfer of materials, spillages are avoided. If not avoided drains are constructed to collect the spillage and transfer back to the process.					
iv.	The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any	Complied. We have spent and made provision to recurring to implement the conditions. State Government along with the is stipulated in the EC Order. Adequate funds are allotted as below:	s stipulated by the N mplementation sch	MoEF&CC as well as			
	other purposes.	EMP Activity	Capex Spent	Recurring Spent			
		 ETP Sludge Disposal CETP Charges Env Audit Env Monitoring Charges ETP Raw Material APCM Upgradation 	52 Lacs	28 Lacs			
v.	Occupational health surveillance of the workers	Complied. Health check-up of all workers is	being done period	dically and records			
	shall be done on a regular basis and records maintained as per the Factories Act. The company shall make	maintained as per Factories Act. Also we are having policy for Pul Please refer ANNEXURE-XI Complied.	blic Liability (Indu	strial Risks) Insurar			

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

Project Details - Expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant

By M/s. Shree Durga Syntex Pvt Ltd at Plot no: E & Z, block no. 128, 129, 130 & 175, Village: Jolva,

Taluka: Palsana, Dist: Surat., Gujarat

	hazards during manufacturing process in material handling.	2. 3. 4.	Sprinkl	tinguishers er system in coal yard n plant premises			
vii.	Training shall be imparted	Comp	lied.				
	to all employees on safety	Traini	ng impart	ed to all level employees &Comp	lied. Routin	e periodica	al medical
	and health aspects of	exami	nations fo	or all employees are carried out or	regular bas	is.	
	chemicals handling. Pre-						
	employment and routine						
	periodical medical						
	examinations for all						
	employees shall be						
	undertaken on regular						
	basis. Training to all						
	employees on handling of						
	chemicals shall be						
viii.	imparted. Usage of PPEs by all	Comp	liad				
VIII.	employees/ workers shall	_		have to be provided and appli	cation anfo	road All	the DDEs
	be ensured.			f BIS approved products. Work p			
	oc chsured.		egularly.	Bis approved products. Work p	mace emore	cilicit of	wearing is
		done i		DDE	TION	OTEX	
			Sr.No.	PPEs D 11	UOM	QTY.	
			1	Self-Contained Breathing	Nos.	10	
			2	Apparatus- 10kg Full Face masks	Nos.	25	
			3			5	
			3	Trolley mounted oxygen cylinders	Nos.	3	
			4	Full body chemical protection	Nos.	10	
				suits			
			5	Chemical splash proof	Nos.	50	
				goggles			
			6	Aluminized firefighting suits	Nos.	10	
			7	25mm hose clips with screw clips	Nos.	10	

Gum boots full length

Electrical hand gloves

Non permeable hand gloves

Leather hand gloves

Safety helmets

Pick axles

Stretchers

Shovels

Safety shoes sizes

Rain coats full size

8

9

10

11

12

13

14

15

16

17

25

50

5

25

50

60

2

5

10

Nos.

Pair

Pair

Nos.

Nos.

Pair

Nos.

Nos.

Nos.

Nos.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

	ix. Permission to draw ground water shall be undertaken from the CGWB / State Ground Water Authority) as may be applicable to this case. x. The company shall undertake rainwater harvesting measures to recharge the ground water as well as reduced consumption of water.	Complied. Permission to withdraw ground water is undertaken from CGWA for existing 1381 KL/day. We have also applied for obtaining CGWA permission for additional withdrawal from borewell. Please refer ANNEXURE-V. Complied. To conserve ground water as well as reduced consumption of water, rain water recharging is carried out to recharge ground water before its get evaporated. 3 Nos. of percolating recharge pits are provided for rain water recharging.
		Supplied and the suppli
В	GENERAL CONDITIONS:	
1.	The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board.	We are strictly agree, complying & will continue to comply with all stipulation made by GPCB as per CCA VIDE Consent order No-AWH120323 Dated: 25/07/2022, Valid Till-3/7/2028.
2.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	We ensure that no further expansion or modification related to EC in the plant shall be carried out only after prior approval of Ministry.
3.	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit	Noted & Complied. We assure that, at no time the emission level will go beyond the stipulated standards and or prescribed limits. In such cases / occurrence we will intimate to board & authority time to time. In event of failure of APCM, the unit shall not restart until the control measures are rectified to achieve the efficiency.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

	shall be immediately put out of	
	operation and shall not be	
	restarted until the desired	
	efficiency has been achieved.	
4.	The gaseous emissions (NO _x ,	Complied.
	SO ₂ and SPM) and Particulate	The gaseous emissions (NOx, SO ₂ & SPM) and Particulate matter along with
	matter along with RSPM levels	RSPM levels & stack monitoring for SO ₂ , NOx & SPM from various units are
	from various process units shall	monitored at regular interval for ensuring the compliance.
	conform to the standards	
	prescribed by the concerned	Ambient Air Monitoring Report is attached as ANNEXURE-VII & Stack
	authorities from time to time. At	Monitoring Report is attached as ANNEXURE-VI.
	no time, the emission levels	
	shall go beyond the stipulated	
	standards. In the event of failure	
	of pollution control system(s)	
	adopted by the unit, the	
	respective unit shall not be	
	restarted until the control	
	measures are rectified to achieve	
	the desired efficiency. Stack	
	monitoring for SO2, NOx and	
	SPM shall be carried.	
	The locations of ambient air	Noted & Complied.
5.	quality monitoring stations shall	The location of AAQ are discussed & reviewed during the visits of GPCB and
	be decided in consultation with	with the Environmental Auditors appointed by GPCB time to time & set up in
	the State Pollution Control	the direction where max. GLC are anticipated. We will ensure that at least one
	Board (SPCB) and it shall be	station is in upwind & one in downwind.
	ensured that at least one stations	
	is installed in the up wind and	
	downwind direction as well as	
	where maximum ground level	
	concentrations are anticipated.	N. 4 A . P 11.
6.	Dedicated scrubbers and stacks	Not Applicable.
	of appropriate height as per the	There is no process gas vents / stacks in the units.
	Central Pollution Control Board	
	guidelines shall be provided to control the emissions from	
	various vents. The scrubbed	
	water shall be sent to ETP for	
	further treatment.	
7.	The overall noise levels in and	Complied.
7.	around the plant area shall be	The overall noise levels in and around the plant area is kept well within the
	kept well within the standards	standards by providing noise control measures including acoustic hoods,
	by providing noise control	silencers, enclosures etc. on all sources of noise generation. Ambient noise levels
	measures including acoustic	are being monitored periodically. It is mandatory for workers to use PPE's such
	hoods, silencers, enclosures etc.	as ear plugs / ear muffs in high noise area.
	neodo, oneneero, encrosures etc.	as our proper our monte in ingil noise area.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

	on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	The ambient noise levels is under the standards prescribed under EPA, 1986 Rules, 1989 viz. 75 dBA (Day Time) and 70 dBA (Night Time). Equipment generating high noise are equipped with acoustic enclosures; regular maintenance, lubrication and vibration pads are assured for such sources. The result are stated as under; M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory,[NABL Certificate No.TC – 5304] & Validity is-16/12/2022 till 15/12/2024 NABL Certificate of Approved Laboratory is Attached as an . Noise Monitoring Reports are Attached as ANNEXURE-X.
8.	The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	Complied.
9.	The company will undertake all relevant measures for improving the Socio economic conditions of the surrounding area. CSR activities will be undertaken by involving local villages and administration	Complied and ongoing. CSR activity given in ANNEXURE- XII The amount is utilized for various communities and welfare surrounding areas of project site.
10.	The company shall undertake eco developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Complied and ongoing. CSR activity given in ANNEXURE- XII The amount is utilized for various communities, welfare and eco development projects within and surrounding areas of project site.
11.	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied. A separate Environment Management Cell is equipped along with internal lab. M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory,[NABL Certificate No.TC – 5304] & Validity is-16/12/2022 till 15/12/2024 NABL Certificate of Approved Laboratory.

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

12.	The project authorities shall earmark adequate funds to	Complied.				
	implement the conditions stipulated by the Ministry of Environment and Forests as well	EMP Activity Capex Recurring Spent Spent				
	as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	1. ETP Sludge Disposal 2. CETP Charges 3. Env Audit 4. Env Monitoring Charges 5. ETP Raw Material 6. APCM Upgradation				
13.	The implementation of the project vis-a-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB /	Complied.				
	CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.					
14.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.	Complied. We have obtained EC in 13 th April 2009 and its amendment obtain at 14 th December 2018 which is attached as ANNEXURE-XVI &XVII and inform the public that the project has been accorded environmental clearance and advertised in two local newspapers that are widely circulated in the region with vernacular language Guajarati and another in English. Paper advertisement is attached as ANNEXURE-XIII.				
15.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board.	Complied.				
16.	The project proponent shall inform the public that the project has been accorded	Complied. We have obtain EC in 13 th April 2009 and its amendment obtain at 14 th December 2018, and inform the public that the project has been accorded				

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

	environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB /Committee and	environmental clearance and advertised in two local newspapers that are widely circulated in the region with vernacular language Guajarati and another in English as per below details:
	may also be seen at Website of	1. Gujarati news paper: 25/12/2018
	the Ministry at	2. English news paper : 24/12/2018
	http://envfor.nic.in. This shall be	
	advertised within seven days	
	from the date of issue of the	
	clearance letter, at least in two	
	local newspapers that are widely	
	circulated in the region of which	
	one shall be in the vernacular language of the locality	
	concerned and a copy of the	
	same shall be forwarded to the	
	concerned Regional Office of	
	the Ministry.	
17.	The project authorities shall	Complied.
	inform the Regional Office as	
	well as the Ministry, the date of financial closure and final	
	approval of the project by the	
	concerned authorities and the	
	date of start of the project.	
	The Ministry may revoke or	Noted.
10	suspend the clearance, if	
18.	implementation of any of the above conditions is not	
	satisfactory.	
	The Ministry reserves the right	Noted.
	to stipulate additional	
19.	conditions, if found necessary.	
	The company in a time bound	
	manner will implement these conditions.	
	Any appeal against this	Noted.
	environmental clearance shall	
	lie with the National Appellate	
20.	Authority, if preferred, within a	
	period of 30 days as prescribed under section 11 of the National	
	Environment Appellate	
	Authority Act, 1997.	
2.1	The above conditions will be	Noted.
21.	enforced, inter-aliaunder the	

$\underline{\textbf{COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.:}}$

F. No. J11011/98/2009-IA II (I), DATED: 13/04/2009

Period - April 2023 TO September 2023

provisions of the Water	
(Prevention &Control of	
Pollution) Act, 1974, Air	
(Prevention &. Control of Water	
Pollution) Act, 1981, the	
Environment (Protection) Act,	
1986 Hazardous Wastes	
(Management and Handling)	
Rules, 2003/ 2008 and the	
Public Liability Insurance Act,	
1991 along with their	
amendments and rules.	

Period - April 2023 TO September 2023

Pr	Project Status:- EC Was obtained dated:14.12.2018 for this proposed expansion &CCA is obtained Vide No. AWH-120323, Dated.25/07/2022 with validity up to:03/07/2028.					
S. NO.	CONDITIONS	COMPLIANCE STATUS				
	ONDITIONS					
	SPECIFIC CONDITION					
1.	Unit shall adopt proper methods for segregation of waste water	Complied.				
	streams based on characteristics at source and its sound management keeping in view direction under section 18 (1) (b) of the Water (Prevention and Control of Pollution) act,1974 issued by CPCB regarding compliance of CETP.	The Avg. domestic waste water generation and send to ETP plant. The generated industrial effluent is treated in ETP. For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana. Please find attachment as ANNEXURE-IX .				
2.	Unit shall not exceed waste	Complied.				
	water discharge quantity into CETP of M/s: PEPL as mentioned in the existing CC&A.	For proposed expansion, complete treated water will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana. Please find attachment as ANNEXURE-IX.				
3.	Unit shall comply the emission standards mentioned in the Notification by MoEF&CC vide no. S.O. 3305 (E)	Complied. Stack monitoring result are attached as ANNEXURE-VI.				
	dated07/12/2015 and amended time to time.					
4.	Unit shall use only imported coal as a fuel for proposed captive power plant and lignite shall be used only in unavoidable circumstance as per undertaking submitted. In such situation, lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).	Noted. We ensure that we will use Lignite if Imported coal is not available and also ensured that lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).				
5.	Process Waste (Oligomer) (10 MT/Month) shall be sold out to the authorized actual users only,	Will Be Complied.				
A. 2 V	WATER:					
6.	Total water requirement for the project shall not exceed 4307 KLD. Unit shall reuse 2555 KLD of waste water from RO Permeate and Boiler condensate for Cooling tower and Boiler	Water consumption is given in ANNEXURE-IV. For additional water requirement, application is made to CGWA which is under verification stage. Please find attachment as ANNEXURE- V.				

Period - April 2023 TO September 2023

13.	cooling lower make up water. Wastewater generated from	Complied. Please refer Annexure – IV.
	RO followed by 4-stage MEE and treated water will be reuse in	
	proposed ETP, MF/UF& 2-stage	
	from proposed washing activity (79 KLD) will be treated in	
	ETP. Waste water generated	
	facility (40 KLD) shall be sent to CETP after treatment in existing	September 2023 from the unit are attached as ANNEXURE-IV.
. 	washing activity for existing	The waste water generations of last six months from April 2023 to
12.	makeup. Wastewater generated from	maintaining proposed expansion to ZERO Discharge, Complied.
	shall be reused for cooling tower	will be reused in cooling tower & condensate recovery in boiler,
11.	RO permeate (240 KLD) and MEE condensate (127 KLD)	Complied. We ensure that For proposed expansion, complete treated water
	system (Cap. 400 KLD) & MEE system (Cap. 150 KLD).	
	proposed ETP followed by RO	mananing proposed expansion to ZEICO Discharge,
	expansion shall not exceed 369 KLD and it shall be treated in	will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge,
10.	generated from the proposed	We ensure that For proposed expansion, complete treated water
10.	to CETP. Additional waste water to be	(PEPL), Palsana. Complied.
	there is no additional discharge	existing waste water which is treated in ETP will be sent to CETP
	to CETP-PEPL as per the existing CC&A. Ensure that	will be reused in cooling tower & condensate recovery in boiler, maintaining proposed expansion to ZERO Discharge; however
- •	180 KLD of treated waste water	We ensure that For proposed expansion, complete treated water
9.	Unit shall continue to discharge	Waste water consumption given in ANNEXURE-IV . Complied.
	369 KL/day Proposed).	expansion to ZERO Discharge; however existing waste water which is treated in ETP will be sent to CETP (PEPL), Palsana.
	KLD. (180.KL/day existing +	tower & condensate recovery in boiler, maintaining proposed
	generation after proposed expansion shall not exceed 549	The Avg. domestic waste water generation is send in ETP for treatment and after complete treated water is reused in cooling
8.	Total industrial wastewater	Complied.
	the competent authority.	made to CGWA which is under verification stage. Please refer ANNEXURE-V.
	for the project requirements without prior permission from	Permission for withdrawing ground water is obtained from CGWA for 1381 m ³ /Day. For additionally water requirement, application is
7.	No ground water shall be tapped	Complied.
	concerned authority shall be obtained for withdrawal of water.	
	through 3-Nos. of existing Bore well. Prior permission from the	
	1139 KLD and it shall be met	
	respectively. Hence, fresh water requirement shall not exceed	

Period - April 2023 TO September 2023

19.	Unit shall not exceed fuel con Steam Boiler and stand-by DG set below:	
18. A. 3 A	The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the GIDC or GPCB or any such authority created for this purpose by the Govt. /GIDC.	Noted.
17.	Proper logbooks of ETP, RO, MEE system, chemical consumption, quantities and qualities of effluent reuse, effluent discharge to CETP, power consumption etc. shall be maintained and shall be furnished to the GPCB from time to time.	Complied.
16.	to time The unit shall provide metering facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and maintaining records for the same	Complied.
15.	Proper logbooks of ETP, water consumption, power consumption, reuse etc. shall be maintained and shall be furnished to the GPCB from time	Complied.
14.	be treated in MF/UF & 2-stage RO followed by 4-stage MEE and treated water will be reuse in cooling tower makeup water The domestic wastewater generation shall not exceed 26 KLD and it shall be disposed in lo the soak pit/septic tank	Complied. As par latest CCA we are disposal over sewage in ETP.
	existing utilities (Boiler - 26 KLD & Cooling -114 KLD) shall be treated in existing ETP and treated water send to CETP. Wastewater generated from proposed utilities (Boiler - 178 KLD & Cooling - 112 KLD) will	

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,

Gujarat

Exis	ting					
Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions	Air Pollution Control Measures (APCM)
1	Steam boiler	11 Meters	WH	IRB	SPM SO ₂ NOx	Adequate Stack heigh
2	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.)	20 m			SPM SO ₂ NOx	Adequate Stack heigh
3	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.) (Stand by)	(Common)	Natural Gas	22440 sq.cm/ day	SPM SO ₂ NOx	Adequate Stack heigh
4	Thermic Fluid Heater (Natural Gas Based/LDO) (10 Million Kcal/Hr.)	35.0 m			SPM SO ₂ NOx	Adequate Stack heigh
5	Thermic Fluid Heater (LDO/NG Based) (10 Million Kcal/Hr.) (Stand by)	(Common)	LDO	100 m3/day	SPM SO ₂ NOx	Adequate Stack heigh
6	Thermic Fluid Heater (Coal based) (14 Million Kcal/Hr.)	50.0 m	Coal	80 MT/Day	SPM SO ₂ NOx	Electrostati Precipitato
7	Steam boiler (1 TPH)	11 m	- Natural Gas	51500 sq.cm	SPM SO ₂ NOx	Adequate Stack heigh
8	* Natural Gas Based CPP Engines(3.25 MW)	30 m	ivaturar Gas	/day	SPM SO ₂ NOx	Adequate Stack heigh
9	Steam Boiler (40 TPH) for Biomass (Agro waste / Baggase) & Coal (15% as auxiliary fuel) based Power Plant (9 MW) #	80.0 m	Baggase & 15% Coal	250 ton/day & 35 MT/Day	SPM SO ₂ NOx	Economizer Air Pre-heate Electrostati Precipitator

Proposed

Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions i.e. Air Pollutants	Air Pollution Control Measures (APCM)
2	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW) # Steam Boiler (23 TPH) for Coal based Power Plant (21 MW) #	- 80.0 m	Imported Coal/Lignite	450 tons/day or 700 tons/day	SPM SO ₂ NOx	Economizer, Air Pre-heater, Electrostatic Precipitator
3	Thermic Fluid Heater (Coal based)	50.0 m		tons, day	SPM SO ₂ NOx	Electrostatic Precipitator

Period - April 2023 TO September 2023

	4	(18 Million Kcal/Hr.) Steam boiler (2							
	 	TPH)							
20.		shall provide adequate			Com	plied.	1		
)	eneration sources as me				_			
21.		shall be no process and as well as from the				nsure that t	here will not letion activity.	be any process en	nission
22.		r and ash content of the analyzed and its ained.			Will	be Compli	ed.		
24.	metalibe carresults along mecha monit in coa ash) s A flu provide propo from period specific height	oring for radio activity al/lignite and fly ash hall be put in place. The gas stack of 80 reded with online monsed Steam boiler. Mustacks shall also be also be also be dic basis. However, until to f the Boiler slack.	ite to be use puted institutional reports. The built con and heavy (including meight slitoring system for monitorit shall company above register in the state of	ed shall ute and eported ereafter tinuous metals bottom hall be teem to nissions red on apply the garding	Will	be Compli			
25.	(ESP) shall emiss: shall partic the Gidesign a way speciff Environment boiler emiss: speciff totally	onment (Protection) ded from time to time capacity shall reduction from the stack fied standards or boile y.	less than atrol of fl Boilers. To ly to ensure does not rol system splan! DCS in ESP excescribed in Rules, 19 me, utilizate so that fi meets with the result of the shall shu	99.9% ue gas he ESP are that exceed shall be in such eds the n the 986 as tion of lue gas ith the t down		be Compli			
26.	the E	party monitoring of SSP along with its e d out once in a year	fficiency sl	hall be	Will	be Complic	e d.		

Period - April 2023 TO September 2023

	institute / organization.	
27.	Lime stone injection technology shall be adopted lo control SO2 and it shall be ensured that SO2 levels in the ambient air do not exceed the prescribed standards.	Will be Complied.
28.	The company shall prepare schedule and carry out regular preventive maintenance of mechanical and electrical parts of ESPS and assign responsibility of preventive maintenance to the senior officer of the company.	Will be Complied.
29.	Measures shall be taken to reduce the process vapors emissions as far as possible.	Complied. We ensure that there will not be any process emission due to our production activity.
30.	The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of industrial Safety & Health) Following indicative guidelines shall also be followed to reduce the fugitive emission.	Will be Complied. Work zone monitoring is being carried out periodically through third party NABL Approved. Ambient Air Monitoring Reports are Attached As ANNEXURE-VII. Same will be conducted for proposed expansion.
31.	Internal roads shall be either concreted or asphalted or paved properly lo reduce the fugitive emission during vehicular movement.	Complied.
32.	Air borne dust shall be controlled with water sprinklers at suitable locations in the plant.	Will be Complied.
33.	A green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission.	Will be Complied. We ensure that proposed expansion has been carried out on land area of 10577 m ² . And Approx. 33% of it is greenbelt i.e. 3500 m ² has been developed additionally.
34.	Regular monitoring of Volatile Organic Compounds (VOCS) shall be carried out in the work zone area and ambient air	Complied.
35.	For control of fugitive emission, VOCS, following steps shall be followed:	Noted.
36.	Closed handling and charging system shall be provided for chemicals.	Complied.
37.	Pumps shall be provided with mechanical seals to prevent leakages.	Complied. We have provided Pups with mechanical seal to avoid any type of leakages.
38.	Airborne dust at all transfers operations/points shall be controlled either by spraying water or providing enclosures	Sprinkling has been done on regular interval for control of Airborne dust.
39.	Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOx & VOC shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the	Complied. The gaseous emissions (NOx, SO ₂ & SPM) and Particulate matter along with RSPM levels & stack monitoring for SO ₂ , NOx & SPM from various units are monitored at regular interval for ensuring the

Period - April 2023 TO September 2023

	T	
	standards stipulated by the GPCB. If at any	compliance. Same will be continued in future also for
	stage these levels are found to exceed the	proposed expansion.
	prescribed limits, necessary additional control	Air Monitoring Report is attached as ANNEXURE-
	measures shall be taken immediately. The	VII & Stack Monitoring Report are attached as
	location of the stations and frequency of	ANNEXURE-VI.
	monitoring shall be decided in consultation	
	with the GPCB.	
A. 4 S	SOLID / HAZAROOUS WASTE	
	The company shall strictly comply with the	Complied.
	rules and regulations with regards to handling	We ensured that generated hazardous waste is& will
	and disposal of Hazardous waste in	be disposed off as per HWM rules, 2016.
	accordance with the Hazardous and Other	•
40.	Wastes (Management and Transboundary	
	Movement) Rules 2016,as may be amended	
	from time to time. Authorization of the GPCB	
	shall be obtained for collection / treatment /	
	storage /disposal of hazardous wastes.	
	Hazardous wastes shall be dried, packed and	Complied.
	stored in separate designable hazardous waste	
41.	storage facility with pucca bottom and	
	leachate collection facility, before its disposal.	
	Hazardous / Solid waste management shall be	Noted
	as below:	
42.	us serow.	
72.		

Period - April 2023 TO September 2023

	Sr.	Type/Name of Hazardous waste	Source of generation	Category and Schedule as per HW Rules.	Qua	Proposed	Total	Disposal Method
	1	Used Oil	Maintenance	5.1	1.0 Kl/Year	2.0 Kl/Year	3.0 Kl/Year	Sent To GPCB Approved Recycler For Suitable Treatment
	2	Discarded Containers/ Barrels/Liners / Carboys/ Bags/ Plastic waste	Raw Material / Production	33.1	10 Tons /Year	15 Tons/Year	25 Tons/Year	Sent Back to Supplier/ To GPCB approved Recycler
	3	Chemical Sludge from ETP	ЕТР	35.3	25.0 Tons/Ye ar	50.0 Tons/Year	75.0 Tons/Year	Collection, storage Transportation, Disposal at TSDF site(NECL, Nandesari Baroda)
	4	Process Waste (Oligomer)	Process	24.1	Nil	300.0 Tons/Year	300.0 Tons/Year	Collection, storage Transportation, Disposal at TSDF site(NECL, Nandesari Baroda)
	5	Fly Ash from Boiler	Boiler		Nil	24000 Tons/Year	24000 Tons/Year	Sent To authorized Brick Manufacturer
43.	Authorized end-users shall have permissions from the concerned authorities under the Rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016		Noted.					
44.	The unit shall obtain necessary permission from the nearby TSDF site and CHWIF.			Complied. TSDF Members	pership atta	ached as AN	NEXURE-I	Х.
45.	Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.		Complied.					
46.	The design of the Trucks/tankers shall be such that there is no spillage during transportation			Complied.				
47.	All possible efforts shall be made		Noted.					

Period - April 2023 TO September 2023

	disposal into TSDF/CHWIF.	
	Management of fly ash (if any)	Complied.
	shall be as per the Fly ash	
	Notification 200g & its	
48.	amendment time to lime and it	
	shall been sure that there is	
	100% utilization of fly ash to be	
	generated from the unit.	
A. 5 S	SAFETY	
	The occupier/manager shall	Complied & Will be Complied for Proposed Expansion
10	strictly comply the provisions	
49.	under the Factories Act 1948 and	
	the Gujarat Factories Rules 1963.	
	Project specific process Safety	Complied & Will be Complied for Proposed Expansion
	Management System shall be	• • •
50.	developed as per the prevailing	
	norms and it shall be	
	implemented in letter and spirit.	
	Unit shall adopt automization	Complied & Will be Complied for Proposed Expansion
~ 1	system along with high safety	
51.	measures for polymerization	
	process.	
	The project authorities shall	Complied & Will be Complied for Proposed Expansion
	strictly comply with the	
	provisions made in Manufacture.	
	Storage and import of Hazardous	
	Chemicals Rules (MSIHC) 1989,	
	as amended time to time and the	
	Public Liability insurance Act	
	for handling of hazardous	
52.	chemicals etc. Necessary	
	approvals from the Chief	
	Controller of Explosives and	
	concerned Govt. Authorities	
	shall be obtained before	
	commissioning of the project.	
	Requisite On-site and Off-site	
	Disaster Management Plans have	
	to be prepared and implemented.	
	First Aid Box shall be made	Complied & Will be Complied for Proposed Expansion
53.	readily available in adequate	
	quantity at all the times.	
	Main entry and exit shall be	Complied & Will be Complied for Proposed Expansion
54.	separate and clearly marked in	
	the facility.	
	Sufficient peripheral open	Complied & Will be Complied for Proposed Expansion
55.	passage shall be kept in the	
JJ.	margin area for free movement	
	of lire tender/ emergency vehicle	

Period - April 2023 TO September 2023

	around the premises.	
	Storage of flammable chemicals	Complied.
56.	shall be sufficiently away from	
	the production area	
	Sufficient number of fire	Complied.
57.	extinguishers shall be provided	
	near the plant and storage area.	
	All necessary precautionary	Complied.
	measures shall be taken to avoid	
58.	any kind of accident during	
	storage and handling of toxic	
	/hazardous chemicals.	NIA NI A . I . I . II I
	All the toxic/hazardous	NA. No any toxic material is handled.
	chemicals shall be stored in	
59.	optimum quantity and all necessary permissions in this	
39.	regard shall be obtained before	
	commencing the expansion	
	acclivities.	
	The project management shall	Complied.
	ensure to comply with all the	r · · · ·
	environment protection	
60.	measures, risk mitigation	
	measures and safeguards	
	mentioned in the Risk	
	Assessment report.	
	Flame proof electrical fittings	Complied.
61.	shall be provided in flame proof	
	zones or wherever applicable in	
	Plant premises Storage of hazardous chemicals	Complied.
	shall be minimized and it shall	Complicu.
	be in multiple small capacity	
62.	tanks / containers instead of one	
	single large capacity tank /	
	containers.	
	All the storage tanks shall be	Complied.
	fitted with appropriate controls	
63.	to avoid any leakages.	
03.	Bund/dyke walls shall be	
	provided for storage tanks for	
	Hazardous Chemicals.	
	Handling and charging of the	Complied.
64	chemicals shall be done in closed	
64.	manner by pumping or by vacuum transfer so that minimal	
	human exposure occurs	
	Tie up shall be done with nearby	Noted.
65.	health care unit / doctor for	1100000
	nearth care unit / doctor for	

Period - April 2023 TO September 2023

	seeking immediate medical attention in the case of emergency. Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised	enforced. Al	Suitable PPEs have to be provall the PPEs procured are of BI enforcement of wearing is done re	S appro	ved products.
	chared and supervised	S. No	PPEs	UOM	QTY
		1	Self contained Breathing Apparatus- 10kg	Nos.	10
		2	Full Face masks	Nos.	25
		3	Trolley mounted oxygen cylinders	Nos.	5
		4	Full body chemical protection suits	Nos.	10
66.		5	Chemical splash proof goggles	Nos.	50
00.		6	Aluminized fire fighting suits	Nos.	10
		7	25mm hose clips with screw clips	Nos.	10
		8	Gum boots full length	Nos.	25
		9	Leather hand gloves	Pair	50
		10	Electrical hand gloves	Pair	5
		11	Non permeable hand gloves	Nos.	25
		12	Safety helmets	Nos.	50
		13	Safety shoes sizes	Pair	60
		14	Pick axles	Nos.	2
		15	Shovels	Nos.	5
		16	Rain coats full size	Nos.	10
		17	Stretchers	Nos.	2
67.	First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.	Complied.			
68.	Training shall be imparted to all the workers on safety and health aspects of chemicals handling	Routine peri	Training imparted to all level en iodical medical examinations for regular basis.		
69.	Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.	Health check-up of all workers is being done periodically and records are maintained as per Factories Act.			

Period - April 2023 TO September 2023

	Transportation of hazardous	Complied.
	chemicals shall be done as per	Compileur
70.	the provisions of the Motor	
	Vehicle Act & Rules.	
	The company shall implement all	
71.	preventive and mitigation	
	measures suggested in the Risk	
	Assessment Report.	
	Necessary permissions from	
	various statutory authorities like	
72.	PESO, Factory inspectorate and	
	others shall be obtained prior lo	
	commissioning of the project.	
A. 6.	NOISE	
	The overall noise level in and	Complied. The overall noise levels in and around the plant area is
	around the plant area shall be	kept well within the standards by providing noise control measures
	kept well within the standards by	including acoustic hoods, silencers, enclosures etc. on all sources of
	providing noise control measures	noise generation. Ambient noise levels are being monitored
	including engineering controls	periodically. It is mandatory for workers to use PPE's such as ear
7.0	like acoustic insulation hoods,	plugs / ear muffs in high noise area.
73.	silencers, enclosures etc. on all	The ambient noise levels is under the standards prescribed under
	sources of noise generation. The	EPA, 1986 Rules, 1989 viz. 75 dBA (Day Time) and 70 dBA
	ambient noise level shall confirm	(Night Time).
	to the standards prescribed under	Equipments generating high noise are equipped with acoustic
	The Environment (Protection)	enclosures; regular maintenance, lubrication and vibration pads are
	Act,1986 & Rules.	assured for such sources. The results are attached as Noise Monitoring Reports in ANNEXURE-X.
A 7 (LEANER PRODUCTION AND	Ŧ :
A. /.	The unit shall undertake the	Complied.
	Cleaner Production Assessment	Complicu.
	study through a reputed institute	
	/ organization and shall form a	
74.	CP team in the company. The	
	recommendations thereof along	
	with the compliance shall be	
	furnished to the GPCB.	
	The company shall undertake	Complied.
75.	various waste minimization	
	measures such as	
	Metering and control ofquantities	
76.	of active ingredients lo minimize	
	waste.	
	Reuse of by-products from the	Automatic filling / transfer system is being provided to minimize
	process as raw materials or as	the spillage i.e. Chain conveyor system provided at PTA handling
77.	raw materials substitutes	area and then stored in Silo and transferred to schenck system to
		paste tank for plant.
7.0	Use of automated and close	Reuse of byproducts / used oil / drums is being sent to authorized
78.	filling to minimize spillages.	recyclers
		I

Period - April 2023 TO September 2023

70	Use of close feed system into	Complied.
79.	batch reactors.	•
90	Venting equipment through	
80.	vapor recovery system.	
	use of high pressure hoses for	
81.	cleaning to reduce wastewater	
	generation	
82.	Recycling of washes to	
	subsequent batches.	
83.	Recycling of steam condensate	
	Sweeping / mopping of floor	
84.	instead of floor washing lo avoid	
	effluent generation	
85.	Regular preventive maintenance	
	for avoiding leakage, spillage etc'	AND LONG AND
A. 8	GREENBELT AND OTHER PLA	
	The unit shall develop green belt	
	within premises as per the CPCB guidelines However, if the	m ² . And Approx. 33% of it is greenbelt i.e. 3500 m ² has been
	guidelines However, if the adequate land is not available	developed additionally.
	within the premises, the unit	
	shall take up adequate plantation	
86.	on road sides and suitable open	
	areas in GIDC estate or any other	
	open areas in consultation with	
	the GIDC / GPCB and submit an	
	action plan of plantation for next	
	three years to the GPCB.	
	Drip irrigation/ low-volume,	Complied.
	low-angle sprinkler system shall	
87.	be used for the green belt	
07.	development within the	
	premises.	
D O	EUED COMPUTIONS	
в. О	THER CONDITIONS In case of use of spray driver the	Complied by The gasseus emissions (NOv. CO. & CDM) and
	In case of use of spray dryer, the unit shall provide the adequate	
	&efficient APCMs with spray	-
	dryer so that there should not be	
	any adverse impact on human	
	health & environment.	party NABL Approved.
0.0	Unit shall carry out third party	
88.	monitoring of the proposed Spray	~ ^
	dryer ⁢'s APCM through the	
	credible institutes and study report	
	for impacts on Environment and	
	Human Health shall be submitted	
	to GPCB every year along with	
	hall yearly compliance report	

Period - April 2023 TO September 2023

	The project proponent shall	Complied.
89.	allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEFCC's Office Memorandum No. F.No.22-652017-lA.lll dated 01/05/2018 to carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of hall-yearly compliance report and to district collector The monitoring report shall be posted on the website of the project proponent.	For community welfare measures and CSR activity adequate funds allotted. The amount is utilized for various communities, welfare and eco development projects within and surrounding areas of project site.
90.	All the recommendations, mitigation measures, environmental protection measures and Safeguards proposed in the EIA report of the project prepared by M/s. Envision Enviro Technologies Pvt. Ltd., Surat was submitted by project proponent vide letter no. NIL dated 03/07/2018 and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhered to in letter and spirit.	Noted.
91.	Rain water harvesting of surface as well as rooftop runoff shall be undertaken and the same water shall be used for the various activities of the project to conserve fresh water as well as lo recharge ground water. Before recharging the surface run off, pretreatment must be done to remove suspended matte	Complied. To conserve ground water as well as reduced consumption of water, rain water recharging is carried out to recharge ground water before its get evaporated. 3 Nos. of percolating recharge pits are provided for rain water recharging.
92.	The unit shall join and participate financially and technically for any common environmental facility/infrastructure as and when the same is taken up either by the	Noted.

Period - April 2023 TO September 2023

	industrial Association or GIDC or GPCB or any such authority created for this purpose by the	
93.	Govt. / GIDC. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting, in addition the provision for solar water heating system shall also be provided.	Noted.
94.	The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose	We ensure that area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
95.	All the commitments/undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.	Noted.
96.	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.	Complied.
97.	In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.	We assure that, at no time the emission level will go beyond the stipulated standards and or prescribed limits. In such cases / occurrence we will intimate to board & authority time to time. In event of failure of APCM, the unit shall not restart until the control measures are rectified to achieve the efficiency.
98.	The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB).State Government and any statutory authority.	We are strictly agree, complying & will continue to comply with all stipulation made by GPCB as per CC&A No. AWH - 120323 Dated:25/07/2022, Valid Till-3/7/2028.
99.	During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.	Complied. We are ensuring that during transfer of materials, spillages are avoided. If not avoided drains are constructed to collect the spillage and transfer back to the process.
100.	Pucca flooring / impervious layer shall be provided in the work	Complied.

Period - April 2023 TO September 2023

	areas, chemical storage areas and	
	chemical handling areas to	
	minimize soil contamination.	
	Leakages from the pipes, pumps,	Complied.
101.	shall be minimal and if occurs,	
	shall be arrested promptly	
	No further expansion or	We ensure that no further expansion or modification related to EC
	modifications in the plant likely to	in the plant shall be carried out only after prior approval of
102.	cause environmental impacts shall	Ministry.
	be carried out without obtaining	
	prior Environment Clearance from the concerned authority.	
	The above conditions will be	Noted.
	enforced. Inter-alia under the	Noteu.
	provisions of the Water	
	(Prevention & Control of	
	Pollution) Act, 1974, Air	
	(Prevention & Control of	
103.	Pollution) Act, '1981, the	
103.	Environment (Protection) Act,	
	1986, Hazardous Wastes	
	(Management, Handling and	
	Transboundary Movement) Rules, 2008 and the Public Liability	
	insurance Ad, 1991 along with	
	their amendments and rules.	
	The project proponent shall	Complied.
	comply all the conditions	•
	mentioned in "The Companies	
104.	(Corporate Social Responsibility	
	Policy) Rules, 2014 and its	
	amendments from time to time in	
	a letter and spirit.	C12-1
	The project management shall ensure that unit complies with all	Complied.
	the environment protection	
	measures, risk mitigation	
105.	measures and safeguards	
	recommended in the EMP report	
	and Risk Assessment study report	
	as well as proposed by project	
	proponent.	
	The project authorities shall	Complied.
	earmark adequate funds to	For community welfare measures and CSR activity adequate
106.	implement the conditions stipulated by SEIAA as well as	funds allotted. The amount is utilized for various communities, welfare and eco development projects within and surrounding
100.	GPCB along with the	areas of project site.
	implementation schedule for all	areas of project site.
	the conditions stipulated herein.	
L		

Period - April 2023 TO September 2023

	The funds so provided shall not be diverted for any other purpose.	
107.	The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/SEAC/GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the	Noted. We have obtain EC in year 2009 and its amendment obtain at 14 th December 2018, and inform the public that the project has been accorded environmental clearance and advertised in two local newspapers that are widely circulated in the region with vernacular language Guajarati and another in English Paper advertisements are attached as ANNEXURE-XIII. 1. Guajarati news paper: 25/12/2018 2. English news paper: 25/12/2018
108.	Ministry. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.	Complied.
109.	It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority consumed, on 1 st June and 1st December of each calendar year.	Complied.
110.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
111.	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board	We are strictly agree, complying & will continue to comply with all stipulation made by GPCB as per CC&A No.120323 Dated: 25/07/2022, Valid Till-3/7/2028.

Period - April 2023 TO September 2023

	The CEIAA	Noted.
112.	The SEIAA may revoke or	Noted.
	suspend the clearance. if	
	implementation of any of the	
	above conditions is not found	
	satisfactory.	
	The company in a time bound	Noted.
	manner shall implement these	
113.	conditions. The SEIAA reserves	
113.	the right to stipulate additional	
	conditions, if the same is found	
	necessary.	
	The protect authorities shall	Noted.
	inform the GPCB, Regional	
	Office of MoEF and SEIAA about	
114.	the date of financial closure and	
	final approval of the project by the	
	condemned authorities and the	
	date of start of the project.	
	This environmental clearance is	Noted.
115.	valid for seven years from the date	
	of issue	
	Any appeal against this	Noted.
	environmental clearance shall lie	
	with the National Green Tribunal,	
116.	if preferred, within a period of 30	
	days as prescribed under Section	
	16 of the National Green Tribunal	
	Act, 2010.	
	Submission of any false or	Noted.
117.	misleading information or data	
	which is material to screening or	
11/.	scoping or appraisal or decision	
	on the application makes this	
	environment clearance cancelled.	

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: F. No. SEIAA/GUJ/EC/5(d) & 1(d)/1346/2018- DATED: 14/12/2018 David April 2023 TO September 2023

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

LIST OF ANNEXURES

ANNEXURES	PARTICULARS
ANNEXURE I(A)	COPY OF ENVIRONMENTAL CLEARANCE
ANNEXURE I(B)	COPY OF LAST VALID CONSENT
ANNEXURE II	PRODUCTION DETAILS FOR LAST SIX MONTHS
ANNEXURE III	ETP-RAW AND TREATED WATER ANALYSIS REPORT AND ETP SLUDGE ANALYSIS REPORT
ANNEXURE IV	FRESH WATER CONSUMPTION AND EFFLUENT GENERATION FOR LAST SIX MONTHS
ANNEXURE V	CGWA NOC COPY
ANNEXURE VI	STACK MONITORING REPORTS
ANNEXURE VII	ANALYSIS REPORT OF WORKPLACE AIR MONITORING
ANNEXURE VIII	HAZARDOUS WASTE GENERATION IN LAST SIX MONTHS
ANNEXURE IX	MEMBERSHIP CERTIFICATE WITH TSDF
ANNEXURE X	NOISE MONITORING REPORT
ANNEXURE XI	INDUSTRIAL RISK LIABILITY (INSURANCE POLICY)
ANNEXURE XII	CSR ACTIVITY DETAIL
ANNEXURE XIII	PAPER ADVERTISEMENT
ANNEXURE XIV	FUEL CONSUMPTION
ANNEXURE XV	NOC COPY OF PROPOSED EXPANSION
ANNEXURE XVI	EC COPY 2009
ANNEXURE XVII	EC COPY 2018

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

ANNEXURE-I(A)

COPY OF ENVIRONMENTAL CLEARANCE

S. M. SAIYAD, 1FS MEMBER SECRETARY SEIAA (GUJARAT)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY GUJARAT

Government of Gujarat

No. SEIAA/GUJ/EC/5(d)&1(d)/1346/2018

Date: 1 4 DEC 2018 By R P A D

Sub: Environment Clearance to M/s. Shree Durga Syntex Pvt Ltd. for setting up expansion of Manmade Fibre manufacturing plant and CPP at Plot No. E & Z, Block No 128, 129, 130 & 175, Vill. Jolwa, Ta.: Palsana, Dist: Surat. In Category 5(d)&1(d) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/IND2/18454/2017.

Dear Sir,

This has reference to your application along with Form-I dated 14/07/2018 submitted to SEIAA, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006 and additional information / documents submitted vide letter dated 19/09/2018 to the SEAC.

The proposal is for Environmental Clearance to M/s. Shree Durga Syntex Pvt Ltd. for setting up expansion of Manmade Fibre manufacturing plant and CPP at Plot No. E & Z, Block No 128, 129, 130 & 175, Vill. Jolwa, Ta.: Palsana, Dist: Surat. It is an existing unit for manufacturing following products, which falls in the category - 5(d)&1(d) of the schedule of the EIA Notification-2006:

Sr.	Name of the Products	CAS no. / Cl no.		End-use of the			
no.			Existing	Proposed	Total	products	
1	Polyester Chips	-	600 Tons/day	200 Tons/day	800 Tons/day	POY/FDY/ Making Fabric	
2	Fully Drawn Yam (FDY)	11=1	300 Tons/day	200 Tons/day	500 Tons/day	Making Fabric	
3	Partially Oriented Yarn (POY)/ Texturised Yarn	-	-	300 Tons/day	300 Tons/day	Making Fabric	
4	Nylon- 6 Chips/ Nylon Yarn		-	200 Tons/day	200 Tons/day	Making Fabric	
5	Power		3.25 MW (Natural Gas Based) 9.0 MW (Biomass (Agro waste/baggase) & Coal (15% as auxiliary fuel) based Captive power plant)	21.0 MW (Coal/ Lignite Based) Captive power Plant	33.25 MVV	Power Generation	
By-Pro	oduct		· · · · · · · · · · · · · · · · · · ·		L		
6	Nylon Polymer Lumps	-		1.0 Tons/day	1.0 Tons/day		

The project activity is covered in 5(d)&1(d) and is of 'B' Category. Public hearing was conducted on 22/02/2018.

The SEAC, Gujarat vide their letter dated 22/11/2018 had recommended to the SEIAA, Gujarat, to grant the Environment Clearance for the above-mentioned project based on its meeting held on 16/10/2018. The proposal was considered by SEIAA, Gujarat in its meeting held on 28/11/2018 at Gandhinagar. After careful consideration, the SEIAA hereby accords travirgnmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compilative of the following conditions.

. 1 SPECIFIC CONDITION :

Urlighall adopt proper methods for segregation of waste water streams based on characteristics at source and its sound pranagement keeping in view direction under section 18 (1) (b) of the Water (Prevention and Control of Pollution) act, 1974 issued by CPCB regarding compliance of CETP.

TS/4 issued by CPCB regarding compliance of CETP.

Gui 28 Unit shall not exceed waste water discharge quantity into CETP of M/s: PEPL as mentioned in the existing CC&A.

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010 Phone No.:- (079) 232-32152,232-41514 Fax No.:-(079) 232-22784 E-mail: msseiaagj@gmail.com, Website:- www.seiaa.gujarat.gov.in

Page 1 of 7

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

- Unit shall comply the emission standards mentioned in the Notification by MoEF&CC vide no. S.O. 3305 (E) dated 07/12/2015 and amended time to time.
- 4. Unit shall use only imported coal as a fuel for proposed captive power plant and lignite shall be used only in unavoidable circumstance as per undertaking submitted. In such situation, lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).
- Process Waste (Oligomer) (10 MT/Month) shall be sold out to the authorized actual users only.

A. 2 WATER:

- 6. Total water requirement for the project shall not exceed 4307 KLD. Unit shall reuse 2555 KLD of waste water from RO Permeate and Boiler condensate for Cooling tower and Boiler respectively. Hence, fresh water requirement shall not exceed 1139 KLD and it shall be met through 3-Nos. of existing Bore well. Prior permission from the concerned authority shall be obtained for withdrawat of water.
- 7. No ground water shall be tapped for the project requirements without prior permission from the competent authority.
- Total Industrial wastewater generation after proposed expansion shall not exceed 549 KLD. (180.KL/day existing + 369 KL/day Proposed).
- Unit shall continue to discharge 180 KLD of treated waste water to CETP-PEPL as per the existing CC&A. Ensure that there is no additional discharge to CETP.
- Additional waste water to be generated from the proposed expansion shall not exceed 369 KLD and it shall be treated in proposed ETP followed by RO system (Cap. 400 KLD) & MEE system (Cap. 150 KLD).
- 11. RO permeate (240 KLD) and MEE condensate (127 KLD) shall be reused for cooling tower makeup.
- 12. Wastewater generated from washing activity for existing facility (40 KLD) shall be sent to CETP after treatment in existing ETP. Waste water generated from proposed washing activity (79 KLD) will be treated in proposed ETP, MF/UF & 2-stage RO followed by 4-stage MEE and treated water will be reuse in cooling tower make up water.
- 13. Wastewater generated from existing utilities (Boiler 26 KLD & Cooling 114 KLD) shall be treated in existing ETP and treated water send to CETP. Wastewater generated from proposed utilities (Boiler 178 KLD & Cooling 112 KLD) will be treated in MF/UF & 2-stage RO followed by 4-stage MEE and treated water will be reuse in cooling tower make up water.
- 14. The domestic wastewater generation shall not exceed 26 KLD and it shall be disposed in to the soak pit/septic tank
- 15. Proper togbooks of ETP, water consumption, power consumption, reuse etc. shall be maintained and shall be furnished to the GPCB from time to time.
- 16. The unit shall provide metering facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and facility at the inlet & outlet of the ETP.
- 17. Proper logbooks of ETP, RO, MEE system, chemical consumption, quantities and qualities of effluent reuse, effluent discharge to CETP, power consumption etc. shall be maintained and shall be furnished to the GPCB from time to time.
- 18. The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.

A. 3 AIR

19. Unit shall not exceed fuel consumption for Steam Boiler and stand-by DG set as mentioned below:

Exist	ing	100 - 100 -	800 KGC 19 1			
Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions	Air Pollution Control Measures (APCM)
1	Steam boiler	11 m	WHRB		SPM SO₂ NOx	Adequate Stack height
2	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.)	20 m (Common)	Natural Gas	22440 sq.cm/day	SPM SO ₂ NOx	Adequate Stack height
3	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.) (Stand by)				SPM SO ₂ NOx	Adequate Stack height
4	Thermic Fluid Heater (Natural Gas Based/LDO) (10 Million Kcal/Hr.)	35.0 m (Common)		100	SPM SO₂ NOx	Adequate Stack height

E-mail : msseiaagj@gmail.com, Website:- www.seiaa.gujarat.gov.in

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

5	Thermic Fluid Heater (LDO/NG Based) (10 Million Kcal/Hr.) (Stand by)		LDO	100 m3/day	SPM SO ₂ NOx	Adequate Stack height
6	Thermic Fluid Heater (Coal based) (14 Million Kcal/Hr.)	50.0 m	Coal	80 MT/Day	SPM SO₂ NOx	Electrostatic Precipitator
7	Steam boiler (1 TPH)	11 m	Natural Gas	51500 sq.cm/day	SPM SO₂	Adequate Stack height
8	* Natural Gas Based CPP Engines(3.25 MW)	30 m			NOx	Adequate Stack height
9	Steam Boiler (40 TPH) for Biomass (Agrowaste/baggase) & Coal (15% as auxiliary fuel) based Power Plant (9 MW) #	80.0 m	Bagasse& 15% Coal	250 ton/day & 35 MT/Day	SPM SO ₂ NOx	Economizer, Air Pre- heater, Electrostatic Precipitator

Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions i.e. Air Pollutants	Air Pollution Control Measures (APCM)
1	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW) #	80.0 m	Imported Coal/Lignite	450 tons/day or	SPM SO ₂ NOx	Economizer, Air Pre-heater, Electrostatic
2	Steam Boiler (23 TPH) for Coal based Power Plant (21 MW) #			700 tons/day		Precipitator
3	Thermic Fluid Heater (Coal based) (18 Million Kcal/Hr.)	50.0 m			SPM SO ₂ NOx	Electrostatic Precipitator (ESP)
4	Steam boiler (2 TPH)					



- 20. Unit shall provide adequate APCM with flue gas generation sources as mentioned above:
- 21. There shall be no process gas emission from existing as well as from the proposed project.
- 22. Sulfur and ash content of the fuel to be used shall be analyzed and its record shall be maintained.
- 23. A long term study of radio activity and heavy metals contents on coal/lignite to be used shall be carried out through a reputed institute and results thereof analyzed regularly and reported along with monitoring reports. Thereafter mechanism for an in-built continuous monitoring for radio activity and heavy metals in coal/lignite and fly ash (Including bottom ash) shall be put in place.
- 24. A flue gas stack of 80 m height shall be provided with online monitoring system to proposed Steam Boiler. Mercury emissions from stacks shall also be monitored on periodic basis. However, unit shall comply the specific condition no. 13 above regarding height of the Boiler stack.
- 25. High efficiency Electro Static Precipitators (ESP) with efficiency not less than 99.9% shall be installed for control of flue gas emission from the proposed Boilers. The ESP shall be operated efficiently to ensure that particulate matter emission does not exceed the GPCB norms. The control system shall be designed and integrated in plant DCS in such a way that if emission from ESP exceeds the specified standard prescribed in the Environment (Protection) Rules, 1986 as amended from time to time, utilization of boiler capacity shall reduce so that flue gas emission from the stack meets with the specified standards or boiler shall shut down totally.
- 26. Third party monitoring of the functioning of the ESP along with its efficiency shall be carried out once in a year through a reputed institute / organization.
- 27. Lime stone injection technology shall be adopted to control SO2 and it shall be ensured that SO2 levels in the ambient air do not exceed the prescribed standards.
- 28. The company shall prepare schedule and carry out regular preventive maintenance of mechanical and electrical parts of ESPs and assign responsibility of preventive maintenance to the senior officer of the company.
- 29. Measures shall be taken to reduce the process vapors emissions as far as possible.
- 30. The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of Industrial Safety & Health). Following indicative guidelines shall also be followed to reduce the fugitive emission.
- 31. Internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

movement.

- 32. Air borne dust shall be controlled with water sprinklers at suitable locations in the plant.
- 33. A green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission.
- 34. Regular monitoring of Volatile Organic Compounds (VOCs) shall be carried out in the work zone area and ambient air.
- 35. For control of fugitive emission, VOCs, following steps shall be followed:
- 36. Closed handling and charging system shall be provided for chemicals.
- 37. Pumps shall be provided with mechanical seals to prevent leakages.
- 38. Airborne dust at all transfers operations/ points shall be controlled either by spraying water or providing enclosures.
- 39. Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOx & VOC shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB.

A. 4 SOLID / HAZARDOUS WASTE:

- 40. The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016, as may be amended from time to time. Authorization of the GPCB shall be obtained for collection / treatment / storage / disposal of hazardous wastes.
- 41. Hazardous wastes shall be dried, packed and stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal.
- 42. Hazardous / Solid waste management shall be as below:

Sr.	Type of Hazardous	Source of generation	Category per HW	Quantity (MT/Annum)		Disposal Method	
	waste		Rules.	Existing	Proposed	Total	7.57
1	Used Oil	Maintenance	5.1	1.0 KI/Year	2.0 Kl/Year	3.0 Kl/Year	Sent To GPCB Approved Recycle For Suitable Treatment
2	Discarded Containers/ Barrels/Liners/ Carboys/ Bags/ Plastic waste	Raw Material / Production	33.1	10 Tons Year	15 Tons/Year	25 Tons/Year	Sent Back to Supplier/ To GPCB approved Recycler
3	Chemical Sludge from ETP	ЕТР	35.3	25.0 Tons/Year	50.0 Tons/Year	75.0 Tons/Year	Collection, Storage Transportation, Disposal at TSDF site (NECL, Nandesari, Baroda)
4	Process Waste (Oligomer)	Process	24.1	Nil	300.0 Tons/Year	300.0 Tons/Year	Collection, Storage Transportation, Disposal at TSDF site (NECL, Nandesari, Baroda)
5	Fly Ash from Boiler	Boiler	-	Nil	24000 Tons/Year	24000 Tons/Year	Sent To authorized Brick Manufacturer

- Authorized end-users shall have permissions from the concerned authorities under the Rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 201
- 44. The unit shall obtain necessary permission from the nearby TSDF site and CHWIF.
- 45. Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.
- 46. The design of the Trucks/tankers shall be such that there is no spillage during transportation
- 47. All possible efforts shall be made for Co-Processing of the Hazardous waste prior to disposal into TSDF/CHWIF.
- 48. Management of fly ash (If any) shall be as per the Fly ash Notification 2009 & its amendment time to time and it shall be ensured that there is 100% utilization of fly ash to be generated from the unit.

Page 4 of 7

Phone No.:- (079) 232-32152,232-41514 Fax No.:-(079) 232-22784 E-mail: msseiaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

A. 5 SAFETY:

- The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963.
- Project specific process Safety Management System shall be developed as per the prevailing norms and it shall be implemented in letter and spirit.
- 51. Unit shall adopt automization system along with high safety measures for polymerization process.
- 52. The project authorities shall strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite On-site and Off-site Disaster Management Plans have to be prepared and implemented.
- 53. First Aid Box shall be made readily available in adequate quantity at all the times.
- 54. Main entry and exit shall be separate and clearly marked in the facility.
- 55. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
- 56. Storage of flammable chemicals shall be sufficiently away from the production area.
- 57. Sufficient number of fire extinguishers shall be provided near the plant and storage area.
- 58. All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of toxic / hazardous chemicals.
- 59. All the toxic/hazardous chemicals shall be stored in optimum quantity and all necessary permissions in this regard shall be obtained before commencing the expansion activities.
- 60. The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment report.
 - Flame proof electrical fittings shall be provided in flame proof zones or wherever applicable in Plant premises
- 62 \ Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks / containers instead of in including the storage capacity tank / containers.
 - All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals.
- Handling and charging of the chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs.
- 65. Tie up shall be done with nearby health care unit / doctor for seeking immediate medical attention in the case of emergency.
- 66. Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised.
- 67. First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.
- 68. Training shall be imparted to all the workers on safety and health aspects of chemicals handling.
- 69. Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.
- 70. Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules.
- 71. The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report.
- Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning of the project.

A. 6 NOISE:

73. The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.

A. 7 CLEANER PRODUCTION AND WASTE MINIMISATION:

- 74. The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP tearn in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.
- 75. The company shall undertake various waste minimization measures such as :
- 76. Metering and control of quantities of active ingredients to minimize waste.
- 77. Reuse of by-products from the process as raw materials or as raw materials substitutes.
- 78. Use of automated and close filling to minimize spillages.
- 79. Use of close feed system into batch reactors.
- 80. Venting equipment through vapour recovery system.
- 81. Use of high pressure hoses for cleaning to reduce wastewater generation.
- 82. Recycling of washes to subsequent betches.
- 83. Recycling of steam condensate



Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

- 84. Sweeping / mopping of floor instead of floor washing to avoid effluent generation.
- 85. Regular preventive maintenance for avoiding leakage, spillage etc.

A. 8 GREEN BELT AND OTHER PLANTATION:

- 86. The unit shall develop green belt within premises as per the CPCB guidelines. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation on road sides and suitable open areas in GIDC estate or any other open areas in consultation with the GIDC / GPCB and submit an action plan of plantation for next three years to the GPCB.
- 87. Drip irrigation / low-volume, low-angle sprinkler system shall be used for the green belt development within the premises.

B. OTHER CONDITIONS:

- 88. In case of use of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that there should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray dryer & it's APCM through the credible institutes and study report for impacts on Environment and Human Health shall be submitted to GPCB every year along with half yearly compliance report.
- 89. The project proponent shall allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEFCC's Office Memorandum No. F.No.22-65/2017-IA.III dated 01/05/2018 to carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of half-yearty compliance report and to district collector. The monitoring report shall be posted on the website of the project proponent.
- 90. All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by M/s: Envision Enviro Technologies Pvt. Ltd., Surat was submitted by project proponent vide letter no. NIL dated 03/07/2018 and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhered to in letter and spirit.
- 91. Rain water harvesting of surface as well as rooftop runoff shall be undertaken and the same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter.
- 92. The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the Industrial Association or GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.
- 93. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.
- 94. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
- 95. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
- 96. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
- 97. In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.
- 98. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.
- 99. During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.
- 100.Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.
- 101.Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly.
- 102.No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
- 103. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
- 104. The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.
- 105.The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.
- 106. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEtAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

- 107. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
- 108. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.
- 109.It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.
- 110. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 111. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
- 112. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.
- 113. The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.
- 114. The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- 115. This environmental clearance is valid for seven years from the date of issue.
- 116.Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 117. Submission of any false or misteading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

With regards, Yours sincerely,

act A

(S. M. SAIYAD) Member Secretary

90

Issued to:

M/s. Shree Durga Syntex Pvt Ltd. Plot No. E & Z, Block No 128, 129, 130 & 175,

Vill. Jolwa, Ta.: Palsana, Dist: Surat

E-mail: msseiaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

ANNEXURE-I(B)

COPY OF VALID CONSENT



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295 Fax : (079) 23232156

Website: www.gpcb.gov.in

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 3(3) & 6 of the Hazardous Waste (Management and Handling & Trans boundary Movement) Rules, 2016 framed under the Environmental (Protection) Act-1986. This Board is empowered to Grant CC&A.

And whereas Board has received consolidated consent application Inward no. 256217 dated 26/04/2022 for the Consolidated Consent and Authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

TO,

M/s. Shree Durga Syntex Pvt. Ltd.

Plot No: Z & E, Block No: 128, 129, 130 & 175,

Village: Jolva-394305, Tal: Palsana, Dist: Surat.

- Consent Order No. <u>AWH-120323</u> Date of issue: <u>25/07/2022</u>.
- The consents shall be <u>valid upto 03/07/2028</u> for the use of outlet for the discharge of treated
 effluent and emission due to operation of industrial plant for manufacturing of the following items/
 products:

Sr. No.	Product	Total Quantity
1	Fully Drawn Yarn	500 Tons/Day
2	Grey Cloth	2,50,000 Meters/Day
3	Polyester Chips	800 Tons/Day
4	Power	3.25 MW 9.0 MW (Bagasse/gas based CPP)
5	Power	21.0 MW (Coal/Lignite Based CPP)
6	Partially Oriented Yarn/Texturised Yarn	300 Tons/Day
7	Nylon-6 Chips/Nylon Yam	200 Tons/Day

Subject to specific condition:

- Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)).
- II. As per Provisions of Rule 18 of Solid Waste Management Rules-2016 you are directed to make an arrangement in Utilities to replace at least five percent (5%) of your solid fuel requirement by 'refused derived fuel'.
- 111. Unit shall comply with NOC of CGWA & renew time to time.
- IV. Industry shall provide dedicated storage facility for fly ash.
- V. Industry shall comply with fly ash notification 1999 as amended from time to time.

WW.

M/s. Shree Durga Syntex Pvt. Ltd. (ID 21289)

Page 1 of 8

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

VI. Unit shall comply with all policy/OM issued by MoEF & CC, Ministry of Power & Government of Gujarat within stipulated time period as per policy/OM for Power Plant.

VII. Unit shall submit long term Membership of BEIL for Incineration within month.

3. CONDITIONS UNDER THE WATER ACT:

- 3.1. Source of water: Borewell.
- The quantity of the fresh water consumption for industrial purpose shall not exceed 1084 KL/Day.
- 3.3. The quantity of the fresh water consumption for domestic purpose shall not exceed 30 KL/Day.

 3.4. The quantity of the industrial effluent to be generated from the manufacturing process, and
- 3.4. The quantity of the industrial effluent to be generated from the manufacturing process and other anciliary industrial operations shall not exceed 549 KL/Day. (Total Booked load in CETP: 700 KL/Day)
- 3.5. Industrial effluent, after necessary treatment shall be reused up to 367 KLPD (240 RO permeate + 127 MEI: Condensate) & remaining 180 KLD shall be sent to CETP for further treatment. In no case industrial discharge of CETP shall increase 180 KL/Day.
- 3.6. Industry shall provide fixed pipeline with flow meter for the reuse of effluent and maintain its records.
- 3.7. The quantity of domestic waste water shall not exceed 26 KL/Day.
- 3.8. Generated domestic waste water treated in ETP & treated water reuse in cooling tower & washing purpose.
- 3.9. Industrial effluent, after necessary treatment shall be reused up to maximum extent & remaining shall be sent to CETP for further treatment.
- 3.10.Industry shall provide fixed pipeline with flow meter for the reuse of effluent and maintain its records.
- 3.11. Domestic effluent shall be treated in ETP (industrial).
- 3.12. The applicant shall operate effluent treatment system efficiently so that effluent from the industrial unit shall conform to the CETP inlet norms mentioned below however the final discharge of treated effluent from CETP shall adhere to the prescribed standards for CETP of M/s, Palsana Enviro Protection Ltd(PEPL).

PARAMETERS	CETP INLET NORMS
pH	6.5 to 8.5
Temperature	40° €
Colour (pt.co.scale) in units	100 units
Suspended Solids	300 mg/
Oil and Grease	10 mg/1.
Phenolic Compounds	I mg/.
Sulphides	2 mg/
Ammonical Nitrogen	50 mg/
Total Chromium	2 mg/
Hexavelent Chromium	0.1 mg/
BOD (5 days at 20°C)	400 mg/
COD	1000 mg/
Total Dissolved Solids	2100 mg/

3.13. The final treated effluent confirming to the above standards shall be fully conveyed into CETP of M/s. Palsana Enviro Protection Ltd(PEPL), through underground drainage system of PEPL in no case effluent shall be discharged in to Environment by any means.

3014. In case of failure of CETP, applicant shall have to treat the trade effluent of their unit fully so as to achieve the quality of the treated effluent from their industrial premises as per the GPCB norms mentioned below:

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295 Fax : (079) 23232156

Website: www.gpcb.gov.in

PARAMETERS	GPCB NORMS
pH	6.5 to 8.5
Temperature	40° C
Suspended Solids	100 mg/L
Oil and Grease	10 mg/L
Total Dissolved Solids	2100 mg/L
Phenolic Compounds	1 mg/L
Sulphides	2 .0 mg/L
Ammonical Nitrogen	50 mg/L
Total Chromium	2 mg/L
Hexavelent Chromium	0.1 mg/L
BOD (5 days at 20°C)	30 mg/L
COD	100 mg/L
Chlorides	600 mg/L
Sulphate	1000 mg/L

3.15. The applicant shall either stop or curtail its production activities if the effluent is not adequately treated by the CETP of PEPL to conform to the standards specified by G.P.C.B.

3.16. The applicant shall be responsible for conveyance of entire treated effluent to the CETP of M/s. PEPL & due care shall be taken to avoid any leakage or spillage of effluent during conveyance of treated effluent through drain.

3.17. Unit shall provide flow meters at inlet & outlet of ETP & maintain its record.

3.18. The applicant shall inform renewal/termination of CETP membership well in advance to GPCB.

3.19. The applicant shall be required to make storage facilities to store the primary treated effluent for at least 48 hours by providing acid proof brick lined impervious tanks/HDPE tanks.

3.20. The applicant shall make fixed arrangement for loading the effluent after primary treatment to the CETP. The unit shall not keep any by-pass line or system or loose or flexible pipe line for discharging effluent into the under ground drainage system of PEPL.

3.21. Leachate from the hazardous solid waste, if any shall also be connected into a collection tank through leachate collection facilities and shall be conveyed alongwith industrial effluent to the CETP of PEPL.

3.22. Magnetic flow meters shall be installed at the inlet & outlet of effluent collection tanks/ETP to measure the quantity of effluent discharging in to underground drainage system of PEPL.

3.23. The ENTIRE quantity of industrial effluent shall have to be conveyed by PEPL. In no circumstances the effluent either treated or untreated shall be discharged any where else.

3.24. Disposal system for storm water shall be provided separately. In no circumstances storm water shall be mixed with the industrial effluent.

3.25. PEPL member unit have to modify / improve performance of existing Effluent treatment facilities for efficiency & adequacy in order to comply with prescribed in let standards.

3.26. The applicant shall keep accurate records of quantity of production of each product, quantity of water consumption, quantity of effluent generated and consumption of electricity on day to day basis and required to submit the complied record of one month to GPCB & PEPL on or before fifth day of the succeeding month.

M/s. Shree Durga Syntex Pvt. Ltd. (ID_21289)

Page 3 of 8

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

- 3.27. In case of shut-down of plant for more than three days for any reason, the PEPI, unit member shall intimate to PEPI, authority & GPCB well in advance for the better operation & management of CETP.
- 3.28. The authorized representative of PEPI, may have right of entry at any time for the purpose of inspection and monitoring the effluent collection facilities/ETP (if required) of the applicant.
 - 3.29.If the PEPLL authority terminates the membership of the applicant for CETP, the PEPL member unit shall have to close down the manufacturing activities/industrial operation of the process plant immediately until the PEPL membership is resumed.
- 3.30. The applicant shall put up at the entrance a board displaying PEPLL membership number & date of joining of PEPL, the name of unit, particulars of the products/ process and the name of proprietor/partners /directors of the unit and the electricity consumer number as on the record of GSECI.

4. CONDITIONS UNDER THE AIR ACT:

4.1. The Following shall be used as fuel in Steam Boiler, CPP Engines & Thermic Fluid Heater respectively.

Sr. No.	Fuel	Quantity
1	Imported Coal	530 tons/day
	Lignite	700 tons/day
2	Natural gas	76875 sq.cm/day
3 -	LDO	100 m ³ /day
4	Baggase	250 MT/day
5	LDO	57 Lit/hr

- 4.2. The applicant shall install & operate comprehensive adequate air pollution control system in order to achieve prescribed norms.
- 4.3. The flue gas emission through stack attached to Steam Boiler, CPP Engines, & Thermic Fluid Heater shall conform to the following standards:

Stack No.	Stack attached to	Stack height in Meter	Air Pollution Control system	Parameter	Permissible Limit
1	Natural Gas Based CPP Engines – 3 Nos.	30 (each)		PM SO₂ NO _x	150 mg/Nm ³ 100 ppm 50 ppm
2	Natural Gas Based Steam Boiler (1 TPH)	11		PM SO ₂ NO _x	150 mg/Nm ³ 100 ppm 50 ppm
3	Coal Based Thermic Fluid Heater (14000 U)	50	Hiectrostatic Precipitator + Alkali Scrubber	PM SO ₂ NO ₈	150 mg/Nm³ 100 ppm 50 ppm
4	TPH Boiler with	11	Waste heat recovery system	PM SO ₂ NO ₃	150 mg/Nm 100 ppm 50 ppm
555	Natural Gas Based Thermic Fluid Heater (200 U×2 nos) One Stand by	20		PM SO ₂ NO _x	150 mg/Nm ³ 100 ppm 50 ppm

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,

Gujarat



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295 Fax : (079) 23232156 Website : www.gpcb.gov.in

6	Natural Gas & LDO/FO Based Thermic Fluid Heater (10000 U) × 2 One Stand by	35		PM SO ₂ NO _x	150 mg/Nm ³ 100 ppm 50 ppm
7	Captive Power Plant (9 MW)	80	Electro Static Precipitator	PM SO ₂ NO _x	150 mg/Nm ³ 100 ppm 50 ppm
8	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW)	800	ESP	PM	150 mg/Nm ³
9	Steam Boiler (23 TPH) for Coal based Power Plant (21 MW)	80	+ Alkali Scrubber	SO ₂ NO _x	100 ppm 50 ppm
10	Thermic Fluid Heater (Coal based) (18 million Keal/hr)	50	ESP + Alkali Scrubber	PM SO ₂ NO _x	150 mg/Nm ³ 100 ppm 50 ppm
11	Steam Boiler (2 TPH)	50	Waste heat recovery system	PM SO ₂ NO ₈	150 mg/Nm ³ 100 ppm 50 ppm

- 4.4. There shall be no process emission from the manufacturing process as well as any other ancillary process.
- 4.5. Industry shall take adequate measure to control dusting due to storage, transportation & handling of Coal & fly ash.
- 4.6. Industry shall comply with Coal handling guideline of the Board.
- 4.7. Industry shall comply with fly ash notification 1999 as amended from time to time.
- 4.8. The concentration of the following parameters in the ambient air within the premises of the industry and a distance of 10 meters from the source) other than the stack/vent) shall not exceed the following levels.

Parameters	Permissible Limit (µg/m³)			
rarameters	Annual	24 Hrs Average		
Particulate Matter-10 (PM ₁₀)	60	100		
Particulate Matter-2.5 (PM _{2.5})	40	60		
SO ₂ S	50	80		
NO _x O	40	80		

4.9. The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.

M/s. Shree Durga Syntex Pvt. Ltd. (ID_21289)

Page 5 of 8

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

4.10. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckened in between 6a.m. and 10 p.m. and nighttime is reckened between 10 p.m. and 6 a.m.

AUTHORIZATION as per HAZARDOUS AND OTHER WASTE (MANAGEMENT AND TRANSBOUNDARY) RULES, 2016 Form-2 [See rule 6 (2)]

Form for grant of authorization for occupier or operator handling Hazardous waste

5.1 Authorization order No: AWH-120323 date of Issue: 25/07/2022.

5.2 M/s. Shree Durga Syntex Pvt. Ltd.is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at Plot No: Z & E. Block No: 128, 129, 130 & 175, Vill: Jolva-394305, Tal: Palsana, Dist: Surat.

Sr. No.	Waste	Quantity	Schedule-I/ Category	Facility
1	Chemical Sludge from waste water treatment	75 MT Year	35.3	Collection, Storage, Transportation and disposal at GPCB authorized TSDF Site.
2	Used or Spem Oil	3 MT/Year	5.1	Collection, storage, transportation and disposal by selling to GPCB Registered re-refiners.
3	Empty barrels/containers/ liners contaminated with hazardous chemicals/ wastes	25 MT/Year	33.1	Collect on, storage transportation and disposal to GPCB authorized decontaminator
4	Chemical Residue	300 MT/Year	24.1	Collect on, Storage, Transportation and disposal at GPCB authorized TSDF Site/incineration site.

5.3 The authorization shall be valid up to 03/07/2028.

5.4 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.

5.5 The authorization is granted to operate a facility for collection, storage within factory premises transportation and ultimate disposal of Hazardous wastes as per condition no.6.2 to the industry having valid CCA of this Board.

6. TERMS AND CONDITIONS OF AUTHORISATION

- 6.1 The applicant shall comply with the provisions of the Environment (Protection) Act-1986 and the rules made there under.
- 6.2 The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Qujarat Pollution Control Board.
- 6.3 The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Grijarat Pollution Control Board.
- Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a beach of this authorization.
- 6.5 The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;

Page 6 of 8

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295 Fax : (079) 23232156

Website: www.gpcb.gov.in

- 6.6 The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Wastes and Penalty"
- 6.7 It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- 6.8 The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
- 6.9 The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
- 6.10 The hazardous and other wastes which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
- 6.11 The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
- 6.12 An application for the renewal of an authorization shall be made as laid down in rules 6(2) under Hazardous Waste and Other Waste Rules, 2016.
- 6.13 Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to
- 6.14 The waste generator shall be totally responsible for (i.e. collection, storage, transportation and ultimate disposal) the wastes generated.
- 6.15 Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form-4 by 30th day of June of every year for the preceding period April to March.
- 6.16 In case of any accident, details of the same shall be submitted on Form-11 to Gujarat Pollution Control Board.
- 6.17 As per "Public Liability Insurance Act-91" company shall get Insurance Policy, if applicable.
- 6.18 Empty drums and containers of toxic and hazard material shall be treated as per guideline published for "Management & Handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.
- 6.19 In case of transport of hazardous wastes to a facility for (i.e. treatment, storage and disposal) existing in a State other than the State where hazardous wastes are generated, the occupier shall obtain 'No Objection Certificate' from the State Pollution Control Board or Committee of the concerned State of Union Territory Administration where the facility exists
- 6.20 Unit shall take all concrete measures to show tangible results in waste generation, reduction, avoidance, reuse and recycle. Actions taken in this regard shall be submitted within three months and also along with Form-4.
- 6.21 Industry shall have to display the relevant information with regards to hazardous waste as indicated in the Hon. Supreme Court's Order in W.P. No.657 of 1995 dated 14th October, 2003.
- 6.22 Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous wastes generated within the factory premises.

M/s. Shree Durga Syntex Pvt. Ltd. (ID_21289)

Page 7 of 8

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., Guiarat

7. SPECIFIC CONDITIONS:

- 7.1. The authorized actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization.
- 7.2. Handling over of the hazardous and other wastes to the authorized actual user shall be only after making the entry in the passbook of the actual user.
- 7.3. In case of renewal of authorization, a self-certified compliance report in respect of effluent, emission standards and the conditions specified in the authorization for hazardous and other wastes shall be submitted to SPCB,
- 7.4. The occupier of the facility shall comply Standard operating procedure/guidelines published by MOEF&CC or CPCB or GPCB from time to time.
- 7.5. Unit shall comply provisions of E-Waste Management Rules-2016.
- 7.6. The disposal of Hazardous Waste shall be carried out as per the waste Management hierarchy.
- 7.7. The occupiers of facilities shall not store the hazardous and other wastes for a period not exceeding ninety days. Prior permission of the Board shall be obtained for extension of the storage period.
- 7.8. The occupier shall maintain the records of generation, sale, storage, transport, recycling, co
- processing and disposal of hazardous waste and make available during the inspection.

 7.9. The transportation of the hazardous waste shall be carried out in GPS mounted dedicated vehicles.

8. GENERAL CONDITIONS:

- 8.1. Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 8.2. Applicant shall also comply with the general conditions given in annexure I.
- 8.3. Whenever due to accident or other unforeseen act or ever, such emissions occur or is apprehended to occur in excess of standards laid down such information shall be forthwith reported to Board, concerned Police Station. Office of Directorate of Health Service. Department of Explosives, Inspectorate of Factories and local body.
- 8.4. In case of failure of pollution control equipments, the production process connected to it shall be stopped. Remedial actions measures shall be implemented immediately to bring entire situation normal.
- 8.5. The Environmental Management Unit/Cell shall be setup to ensure implementation on and monitoring of environmental safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell/Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issues. These cells units also coordinate the exercise of environmental audit and preparation of environmental statements.

8.6. The Environmental audit shall be carried out yearly and the environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.

For and on behalf of Gujarat Pollution Control Board

(M. R. Macwana) Unit Head, Surat

Date:

NO: GPCB/CCA-SRT-995(5)/ID-21289/ TO.

M/s. Shree Durga Syntex Pvt. Ltd.

Plot No: Z & E, Block No: 128, 129, 130 & 175,

Village: Jolva-394305,

Tal: Palsana, Dist: Surat.

M/s. Shree Durga Syntex Pvt. Ltd. (ID_21289)

Page 8 of 8

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

ANNEXURE-II

PRODUCTION DETAILS FOR LAST SIX MONTHS

			NAMEOFTHEMONTH					
SN.	PRODUCT	April 2023	May 2023	June 2023	July 2023	August 2023	September 2023	
1	PolyesterChips(TON/Month)	13,161.56	12,592.81	13,336.59	13,703.59	14,640.79	11,719.39	
2	FDY(TON/ Month)	6,085.46	5,162.35	5,784.03	5,965.16	6,207.80	5,542.06	
3	Partially Oriented Yarn (POY)	2,056.63	1,209.64	2,331.63	1,879.24	2,265.64	2,053.79	
4	Texturized Yarn (TON/ Month)	565.65	502.21	419.46	499.01	576.26	649.03	

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**

ANNEXURE-III

ETP- Raw and treated water analysis report and ETP sludge analysis report



201 & 301, Union Trade Center (UTC)
Nr. Apple Hospital, Udhana Darwaja,
Surat - 395 002

M : 97277 51088
T : 0261-2344773
e : info@en-vision.co.in
e : lab@en-vision.co.in

WASTE WATER ANALYSIS REPORT

[A] NAME & ADDRESS OF CUSTOMER: WS.SHREE DURGA SYNTEX PVT LTD. PLOT NO. Z & E,

BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	02/10/2023
Report No.	231002_2324000_04_078

[B] DESCRIPTION OF SAMPLING:

01. Description of Sample: RAW EFFLUENT	09. Date of Sampling: 25.09.2023
02. Location of Sampling Point: ETP INLET	10. Date of Sample Received: 25.09.2023
03. Type of Sampling: GRAB	11. Date of Analysis Start: 26.09.2023
04. Name of Sampling Team: A	12. Date of Analysis Completion: 29.09.2023
05. Sample Quantity: 2.0 LTR	13. Customer's Ref.No:
06. Total no. of Sample: 01	14. Protocol Purpose: EC
07. Packing/Label/Seal: PACKING/LABEL	15.Work Order Number :
08. Sample Inward No: 231002_2324000_04_078	16.Work Order Date :

[C] RESULT OF SAMPLE :

PARAMETERS	UNIT	RESULT	TEST METHOD
pH	pH Unit	6.89	IS:3025, (Part-2) (R.A2012)
Temperature	°C	32.0	IS 3025 (Part-09) (R.A2006)
Colour	Pt. Co.Scale	Apparent	IS 3025 Part-4 (R.A2006)- Pt/Co method
Suspended Solids	mg/l	176	IS:3025 (Part-17) (R.A2012) (Gravimetric method)
Total Dissolved Solids	mg/l	2240	IS:3025 (Part-16) (R.A2012) (Gravimetric method)
Chemical Oxygen Demand	mg/l	1920	APHA 22 nd Edition-2012, 5200 (Close reflux)
Biochemical Oxygen Demand for 3 days at 27°C	mg/I	570	IS 3025 Part-44 (R.A2009)
Oil & Grease	mg/l	17.3	IS 3025 Part-39 (R.A2003)-A (Gravimetric Method)
Ammonical Nitrogen (as N)	mg/l	ND	IS:3025 (Part-34) (R.A2009)- C- Distillation
Phenolic Compounds	mg/l	0.17	IS 3025 (Part-43) (R.A2009)-A
Sulphides	mg/l	ND	IS 3025 (Part-29) (R.A2014)(Iodometric Method)
Sulphates	mg/l	519.61	APHA 22 nd Edition-2012 4500 SO ₄ -2–E- (Turbidity method)
Chloride as Cl	mg/l	549.87	IS:3025 (Part-32) (R.A2014)

Remarks: ND: Not Detectable.

En-Vision Environmental Services., (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/05 Revision No: 01 Date: 29.08.22.

rever.

w Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Surat - 395 002

M: 97277 51088 T: 0261-2344773

e:info@en-vision.co.in e:lab@en-vision.co.in

WASTE WATER ANALYSIS REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD.

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	02/10/2023		
Report No.	231002_2324000_04_079		

[B] DESCRIPTION OF SAMPLING:

01. Description of Sample: RAW EFFLUENT	09. Date of Sampling: 25.09.2023
02. Location of Sampling Point: ETP AFTER PRIMARY	10. Date of Sample Received: 25.09.2023
03. Type of Sampling: GRAB	11. Date of Analysis Start: 26.09.2023
04. Name of Sampling Team: A	12. Date of Analysis Completion: 29.09.2023
05. Sample Quantity: 2.0 LTR	13. Customer's Ref.No:
06. Total no. of Sample: 01	14. Protocol Purpose: EC
07. Packing/Label/Seal: PACKING/LABEL	15.Work Order Number :
08. Sample Inward No: 231002 2324000 04 079	16.Work Order Date :

[C] RESULT OF SAMPLE:

PARAMETERS	UNIT	RESULT	TEST METHOD
pH	pH Unit	8.56	IS:3025, (Part-2) (R.A2012)
Temperature	°C	29.0	IS 3025 (Part-09) (R.A2006)
Colour	Pt. Co.Scale	120	IS 3025 Part-4 (R.A2006)- Pt/Co method
Suspended Solids	mg/I	118	IS:3025 (Part-17) (R.A2012) (Gravimetric method)
Total Dissolved Solids	mg/l	2388	IS: 3025 (Part-16) (R.A2012) (Gravimetric method)
Chemical Oxygen Demand	mg/l	848	APHA 22 nd Edition-2012, 5200(Close reflux -Titrimetric method)
Biochemical Oxygen Demand for 3 days at 27°C	mg/l	240	IS 3025 Part-44 (R.A2009)
Oil & Grease	mg/l	7.60	IS 3025 Part-39 (R.A2003)-A (Gravimetric Method)
Ammonical Nitrogen (as N)	mg/l	ND	IS: 3025 (Part–34) (R.A2009)- C- Distillation
Phenolic Compounds	mg/l	0.11	IS 3025 (Part-43) (R.A2009)-A
Sulphides	mg/l	ND	IS 3025 (Part-29) (R.A2014) (Iodometric Method)/
Sulphates	mg/l	486.4	APHA 22 nd Edition-2012 4500 SO ₄ -2-E- (Turbidity method)
Chloride as Cl	mg/l	469.8	IS:3025 (Part-32) (R.A2014)

Remarks: ND: Not Detectable.

En-Vision Environmental Services., (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/05 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Surat - 395 002

M: 97277 51088 T: 0261-2344773

e:info@en-vision.co.in e:lab@en-vision.co.in

WASTE WATER ANALYSIS REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD. PLOT NO. Z & E,

PLOT NO. 2 & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	02/10/2023
Report No.	231002_2324000_04_080

[B] DESCRIPTION OF SAMPLING:

01. Description of Sample: RAW EFFLUENT	09. Date of Sampling: 25.09.2023
02. Location of Sampling Point: ETP OUTLET	10. Date of Sample Received: 25.09.2023
03. Type of Sampling: GRAB	11. Date of Analysis Start: 26.09.2023
04. Name of Sampling Team: A	12. Date of Analysis Completion: 29.09.2023
05. Sample Quantity: 2.0 LTR	13. Customer's Ref.No:
06. Total no. of Sample: 01	14. Protocol Purpose: EC
07. Packing/Label/Seal: PACKING/LABEL	15.Work Order Number :
08. Sample Inward No: 231002_2324000_04_080	16.Work Order Date : -

[C] RESULT OF SAMPLE :

PARAMETERS	UNIT	LIMIT	RESULT	TEST METHOD
pH	pH Unit	6.5-8.5	7.86	IS:3025, (Part-2) (R.A2012)
Temperature	°C	40.0	27.0	IS 3025 (Part-09) (R.A2006)
Colour	Pt. Co.Scale	100	90.0	IS 3025 Part-4 (R.A2006)- Pt/Co method
Suspended Solids	mg/I	300	88.0	IS:3025 (Part-17) (R.A2012) (Gravimetric method)
Total Dissolved Solids	mg/l	2100	2016	IS:3025 (Part-16) (R.A2012) (Gravimetric method)
Chemical Oxygen Demand	mg/l	1000	576	APHA 22 nd Edition-2012, 5200 (Close reflux –Titrimetric method)
Biochemical Oxygen Demand for 3 days at 27°C	mg/I	400	180	IS 3025 Part-44 (R.A2009)
Oil & Grease	mg/l	10.0	4.60	IS 3025 Part-39 (R.A2003)-A (Gravimetric Method)
Ammonical Nitrogen (as N)	mg/l	50.0	ND	IS:3025 (Part-34) (R.A2009)- C-
Phenolic Compounds	mg/l	1.0	0.09	IS 3025 (Part-43) (R.A2009)-A
Sulphides	mg/l	2.0	ND	IS 3025 (Part-29) (R.A2014) (Iodometric Method)/
Sulphates	mg/l	1000	3623.71	APHA 22 nd Edition-2012 4500 SO ₄ -2–E- (Turbidity method)
Chloride as Cl	mg/l	600	389.9	IS:3025 (Part-32) (R.A2014) (Argentometric method)

Remarks: ND: Not Detectable.

En-Vision Environmental Services., (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/05 Revision No: 01 Date: 29.08.22.

viv.

Mr. Vasant Shah
Tested By: (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC) M: 97277 51088 Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

T: 0261-2344773 e : info@en-vision.co.in e : lab@en-vision.co.in

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD.

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA. TAL: PALSANA, SURAT-394305.

Issue Date	02/10/2023
Report No.	231002_2324000_06_081

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No : 230925_2324000_06_081	05. Time of Sampling: 01:20 PM
02. Location of Sampler : ETP SLUDGE	06. Date of Sample Received: 25.09.2023
03. Name of Sampling Team: A	07. Date of Analysis Start: 26.09.2023
04. Date of Sampling: 25.09.2023	08. Date of Analysis Completion: 29.09.2023

SOLID WASTE ANALYSIS REPORT

[C] RESULT OF SAMPLE :

PARAMETERS	TINU	RESULT	TEST METHOD
PΗ	PH Unit	7.56	IS 2720 (Part - 26) - 1987 (Reaffirmed 2007)
Total Dissolved Solids (TDS)	gm/kg	13.0	IS:3025 (Part-16) : 1984 (Reaff.2006)- Gravimetric method
Alkalinity	gm/kg	7.40	IS:3025 (Part-23) : 1986 (Reaff.2009) Titrimetric method
Moisture	%	12.6	IS 2720(Part - 2): 1973 (Reaffirmed 2007).
Phenolic Compounds as C₅H₅OH	gm/kg	ND	IS 3025 (Part-43):1992 (Reaff.2009)- A
Chemical Oxygen Demand	gm/kg	24.0	APHA 22 nd Edition-2012 5200 - C (Close reflux –Titrimetric method)
Biochemical Oxygen Demand for 3 days 27°C	gm/kg	9.00	IS 3025 Part-44-1993 (Reaff.2009)

Remarks:

En-Vision Environmental Services., (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/03 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

End of Report

Page 1 of 1

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

ANNEXURE-IV

FRESH WATER CONSUMPTION AND EFFLUENT GENERATION FOR LAST SIX MONTHS

The Avg, fresh water consumption in last six month is **1068.71 KL/Day.**Monthly total water consumption details are given as below;

SN	Month	Qty (KL/Month)	Qty (KL/Day)
1	April 2023	36871	1229
2	May 2023	37107	1197
3	June 2023	32618	1087
4	July 2023	24010	774.5
5	August 2023	32519	1049
6	September 2023	37276	1075.8

The Avg. industrial waste water generation in last six months is **463.09 KL/Day** Monthly waste water generation details are given as below;

SN	Month	Qty (KL/Month)	Qty (KL/Day)
1	April 2023	14756	491.86
2	May 2023	13857	447
3	June 2023	14722	490.73
4	July 2023	14069	453.83
5	August 2023	13316	429.54
6	September 2023	13968	465.6

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

ANNEXURE-V

CGWA NOC COPY



भारत सरकार जल शक्ति मंत्रालय जल संशाप्त, नदी विकास और गंगा संरक्षण विभाग कंन्द्रीय भूमि जल प्राधिकरण Government of India Ministry of Jal Shakti Department of Water Resources, River Development & Ganga Rejuvenation Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र) NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

P	roject Name	₽:			Shree	Durga	Syn	tex Pvt L	td						
P	oject Addre	ess:			Block	No 12	8,129	,130 And	175,, F	Plot N	lo Z And	E, Village-	Jolva,	Taluka-	Palsana
٧	llage:				Jolva	Jolva				Bloc	k: Pa	Isana	1		
D	istrict:				Surat					State	e: Gu	ijarat	0		
Р	n Code:											XX	7		
С	ommunicat	ion Addr	ess:								ate,, U.m. , Gujarat	road, Nr. - 395017	Begani	Dyeing	Mills Pv
A	ddress of C	GWB Re	egional C	Office :								on, Swam Irat - 3800		an Colle	ge,
1.	NOC No.:		CGWA	VNOC	/IND/O	RIG/20	21/12	2312		1) -				
2.	Applicatio	n No.:	21-4/1	673/G	J/IND/2	J/IND/2017					ategory:		Safe		
4.	Project St	atus:	Existin	g Pro	ject				5.	NOC	Type:	Type: New			
6.	Valid from	n:	10/12/	2020				<	7.	Valid up to: 09		09	/12/2023		
8.	Ground W	ater Abs	traction I	Permi	tted:										
	Fresh	Water			Saline	Water	r_)	1	Dev	wate	ring			Total	
	m³/day	m³/y	ear	m ^a	'day m³/year		, I	m³/day	m³/year		m ²	³/day	m ^a	/year	
	1381.00	50406	55.00			0									
).	Details of	ground v	vater abs	stracti	on /Dew	vatering	g stru	ctures							
			Total	I Exis	ting No	.:3					7	otal Prop	osed N	10.:0	
				DW	DCB	BW	TW		MPu	DV	V DCB	BW	TW	MP	MPu
	Abstraction				0	3	0	0	0	0		0	0	0	0
	/- Dug Well; D								e Pit,MPu	-Mine	Pumps	17,000,000			
	Ground W											4536	585.00		
11.		Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.					No. of Piezometer		ters	Monitoring Mechanism					
											Manual	DWLR**	DWLF	R With T	elemetr
	**DWLR - Di	igital Water	Level Rec	corder					2		0	1		1	

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011 Phone: (011) 23383561 Fax: 23382651, 23386743 Website: cgwa-noc.gov.in

पानी बचाये – जीवन बचाये SAVE WATER - SAVE LIFE

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and infimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatonly get water flow meter calibrated from an authorized agency once in a year
- Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year
 and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through
 the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m 3 id shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/horms or Court orders related to construction of tube well-ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Honbie NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tainning. Staughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCE list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m3/day, the firm/entity shall ensure implementation of dual water supply system in the projects
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting
- 25). In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 falling which penalty/EC/cancellation of NOC shall be imposed as the case may be. 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**

ANNEXURE-VI

STACK MONITORING REPORTS



201 & 301, Union Trade Center (UTC)
Nr. Apple Hospital, Udhana Darwaja,
Surat - 395 002

M : 97277 51088
T : 0261-2344773
e : info@en-vision.co.in
e : lab@en-vision.co.in

STACK TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD. PLOT NO. Z & E, 02/10/2023 Issue Date BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, Report No. 231002 2324000 02 073

[B] DESCRIPTION OF SAMPLING :

SURAT- 394305.

01. Location of Sample : STACK	11. Sampling Platform : YES
02. Sample Inward No: 230925_2324000_02_073	12. Location of Sampling port-Hole : ≈ 22 MTR.
03. Lab Representative : M\S. ENES	13. No.of Traveres Point Used: 1.0
04. Name of Sampling Team : A	14. Temperature of Flue gas : 153 °C
05. Name of Sources: STEAM BOILER	15. Average flue Gas Velocity: 6.51 m/sec
06. Status of Sources : NOT SPECIFIED	16. Date of Sampling: 25.09.2023
07. Capacity of Sources: 9 MW	17. Date of Sample Received: 25.09.2023
08. Fuel Used in Sources : BAGASSE/ COAL	18. Date of Analysis Start : 26.09.2023
09. Sources Make by: NOT SPECIFIED	19. Date of Analysis Completion: 26.09.2023
10. Provision of APCD : ESP, ECONOMIZER, AIR PRE HEATER	20. Work order Number :

[C] RESULT OF SAMPLE :

PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
Suspended Particular Matter	mg/Nm ³	150	52.6	IS 11255 (Part-1) (R.A2014)
NO _X	ppm	50	10.4	IS 11255 (Part-7) (R.A2012)
SO ₂	ppm	100	19.7	IS 11255 (Part-2) (R.A2014)

Note: *Particulate Matter at 11% O2.

En-Vision Environmental Services., (Testing Laboratory), Surat

Note: The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/04 Revision No: 01 Date: 29.08.22.

viv.

WX Tested By:

Mr. Vasant Shah (Technical Manager)

End of Report

Page 1 of 1

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Surat - 395 002

M: 97277 51088 T: 0261-2344773

e : info@en-vision.co.in e : lab@en-vision.co.in

STACK TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD.

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

	Issue Date	02/10/2023		
Ì	Report No.	231002_2324000_02_074		

[B] DESCRIPTION OF SAMPLING:

01. Location of Sample : STACK	11. Sampling Platform : YES
02. Sample Inward No: 230925_2324000_02_074	12. Location of Sampling port-Hole ; ≈ 19 MTR.
03. Lab Representative : M\S. ENES	13. No.of Traveres Point Used: 1.0
04. Name of Sampling Team : A	14. Temperature of Flue gas : 133 °C
05. Name of Sources: THERMICFLUID HEATER	15. Average flue Gas Velocity: 5.97 m/sec
06. Status of Sources: NOT SPECIFIED	16. Date of Sampling: 25.09.2023
07. Capacity of Sources: 14 MILLION KCAL/HR	17. Date of Sample Received: 25.09.2023
08. Fuel Used in Sources : COAL	18. Date of Analysis Start: 26.09.2023
09. Sources Make by : NOT SPECIFIED	19. Date of Analysis Completion: 26.09.2023
10. Provision of APCD : ESP	20. Work order Number :

[C] RESULT OF SAMPLE :

PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
Suspended Particular Matter	mg/Nm ³	150	48.4	IS 11255 (Part-1) (R.A2014)
NO _X	ppm	50	8.70	IS 11255 (Part-7) (R.A2012)
SO ₂	ppm	100	17.9	IS 11255 (Part-2) (R.A2014)

Note: *Particulate Matter at 11% O2

En-Vision Environmental Services., (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/04 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Surat - 395 002

M: 97277 51088 T: 0261-2344773

e:info@en-vision.co.in e:lab@en-vision.co.in

STACK TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD.

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

	Issue Date	02/10/2023
İ	Report No.	231002_2324000_02_075

[B] DESCRIPTION OF SAMPLING:

01. Location of Sample : STACK	11. Sampling Platform : YES
02. Sample Inward No: 230925_2324000_02_075	12. Location of Sampling port-Hole : ≈ 7.0 MTR
03. Lab Representative : M\S. ENES	13. No.of Traveres Point Used: 1.0
04. Name of Sampling Team : A	14. Temperature of Flue gas : 136 °C
05. Name of Sources : STEAM BOILER	15. Average flue Gas Velocity : 6.14 m/sec
06. Status of Sources : NOT SPECIFIED	16. Date of Sampling: 25.09.2023
07. Capacity of Sources: 1.0 TPH	17. Date of Sample Received: 25.09.2023
08. Fuel Used in Sources : NATURAL GAS	18. Date of Analysis Start : 26.09.2023
09. Sources Make by : NOT SPECIFIED	19. Date of Analysis Completion: 26.09.2023
10. Provision of APCD : NA	20. Work order Number :

[C] RESULT OF SAMPLE :

PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
Suspended Particular Matter	mg/Nm ³	150	11.1	IS 11255 (Part-1) (R.A2014)
NOx	ppm	50	2.40	IS 11255 (Part-7) (R.A2012)
SO ₂	ppm	100	1.50	IS 11255 (Part-2) (R.A2014)

Note: *Particulate Matter at 11% O2

En-Vision Environmental Services., (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/04 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

M: 97277 51088 T: 0261-2344773 e: info@en-vision.co.in

e: lab@en-vision.co.in

STACK TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD.

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA,

SURAT-394305.

Issue Date	02/10/2023
Report No.	231002_2324000_02_076

[B] DESCRIPTION OF SAMPLING:

01. Location of Sample : STACK	11. Sampling Platform : YES
02. Sample Inward No: 230925_2324000_02_076	12. Location of Sampling port-Hole : ≈ 14 MTR.
03. Lab Representative : M\S. ENES	13. No.of Traveres Point Used: 1.0
04. Name of Sampling Team : A	14. Temperature of Flue gas : 130 °C
05. Name of Sources : THERMIC FLUID HEATER	15. Average flue Gas Velocity: 5.76 m/sec
06. Status of Sources : NOT SPECIFIED	16. Date of Sampling: 25.09.2023
07. Capacity of Sources: 200 U NOS. OF 2.0	17. Date of Sample Received: 25.09.2023
08. Fuel Used in Sources : NATURAL GAS	18. Date of Analysis Start: 26.09.2023
09. Sources Make by : NOT SPECIFIED	19. Date of Analysis Completion: 26.09.2023
10. Provision of APCD : NA	20. Work order Number :

[C] RESULT OF SAMPLE :

PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
Suspended Particular Matter	mg/Nm³	150	9.80	IS 11255 (Part-1) (R.A2014)
NO _X	ppm	50	1.70	IS 11255 (Part-7) (R.A2012)
SO ₂	ppm	100	1.30	IS 11255 (Part-2) (R.A2014)

Note: *Particulate Matter at 11% O2

En-Vision Environmental Services., (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/04 Revision No: 01 Date: 29.08.22.

or v.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

M: 97277 51088 T: 0261-2344773 e: info@en-vision.co.in

e: lab@en-vision.co.in

STACK TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD. PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175,

VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	02/10/2023			
Report No.	231002_2324000_02_077			

[B] DESCRIPTION OF SAMPLING:

01. Location of Sample : STACK	11. Sampling Platform : YES
02. Sample Inward No: 230925_2324000_02_077	12. Location of Sampling port-Hole ; ≈ 14 MTR
03. Lab Representative : M\S. ENES	13. No.of Traveres Point Used: 1.0
04. Name of Sampling Team : A	14. Temperature of Flue gas : 139 °C
05. Name of Sources : THERMIC FLUID HEATER	15. Average flue Gas Velocity: 6.23 m/sec
06. Status of Sources: NOT SPECIFIED	16. Date of Sampling: 25.09.2023
07. Capacity of Sources: 10000 U NOS. OF 2.0	17. Date of Sample Received: 25.09,2023
08. Fuel Used in Sources : NATURAL GAS	18. Date of Analysis Start: 26.09.2023
09. Sources Make by : NOT SPECIFIED	19. Date of Analysis Completion: 26.09.2023
10. Provision of APCD : NA	20. Work order Number :

[C] RESULT OF SAMPLE :

PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
Suspended Particular Matter	mg/Nm ³	150	9.60	IS 11255 (Part-1) (R.A2014)
NO _X	ppm	50	1.20	IS 11255 (Part-7) (R.A2012)
SO ₂	ppm	100	0.90	IS 11255 (Part-2) (R.A2014)

Note: *Particulate Matter at 11% O2

En-Vision Environmental Services., (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/04 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**

ANNEXURE-VII

ANALYSIS REPORT OF WORKPLACE AIR MONITORING



201 & 301, Union Trade Center (UTC)
Nr. Apple Hospital, Udhana Darwaja,
Surat - 395 002

M: 97277 51088
T: 0261-2344773
e: info@en-vision.co.in
e: lab@en-vision.co.in

	OMER: TLTD.		1:	ssue Date	02/10/2023
PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175,			F	Report No.	231002_2324000_01_070
ЛLL: JOLVA, ГАL: PALSANA,					
SURAT-394305.					
B] DESCRIPTION OF SAMPLIN	G:				
01. Sample Inward No : 23092	5 2324000 01	070	05. Duratio	n of Sampli	ng: 8.0 HOURS
02. Location of Sampler : NEAI	R MAIN GATE		06. Date of	Sample Re	ceived: 25.09.2023
03. Name of Sampling Team:	A		07. Date of	Analysis St	art: 26.09.2023
04. Date of Sampling: 25.09.2	023		08. Date of	Analysis Co	ompletion: 26.09.2023
C] RESULT OF SAMPLE :					4113
PARAMETERS	UNIT	LIMIT	RESULTS		TEST METHOD
PM ₁₀	μg/m³	100	72.3		Part-23) 2009 ric method
PM _{2.5}	µg/m³	60	38.4		STP-A ₂ based on CPCB
	. 0.000		25/550		2011 & Instrument Manual
NOx	µg/m³	80	16.9	IS 5182 (Part-6) (R.A2012)
SO ₂	μg/m³	80	12.3	IS 5182 (Part-2) (R.A2012)
emarks: Environmental Condition: Cleation lote: the results relate only to the items the test report shall not be reprod first No: LAB/FM/07 Revision No: 6	s tested. luced except in	full, withou			ericado Euror estreta.
					ver.

End of Report

Page 1 of 1

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Surat - 395 002

M: 97277 51088 T: 0261-2344773 e: info@en-vision.co.in e: lab@en-vision.co.in

AMBIENT AIR TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD.

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	02/10/2023
Report No.	231002_2324000_01_071

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No: 230925_2324000_01_071	05. Duration of Sampling: 8.0 HOURS
02. Location of Sampler : NEAR ETP	06. Date of Sample Received: 25.09.2023
03. Name of Sampling Team: A	07. Date of Analysis Start: 26.09.2023
04. Date of Sampling: 25.09.2023	08. Date of Analysis Completion: 26.09.2023

[C] RESULT OF SAMPLE :

PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
PM ₁₀	µg/m³	100	68.6	IS 5182 (Part-23) 2009 Gravimetric method
PM _{2.5}	µg/m³	60	36.2	Lab SOP-STP-A2 based on CPCB guideline, 2011 & Instrument Manual
NO _X	µg/m³	80	17.4	IS 5182 (Part-6) (R.A2012)
SO ₂	µg/m³	80	12.1	IS 5182 (Part-2) (R.A2012)

Remarks :

1. Environmental Condition : Clear Sky.

En-Vision Environmental Services, (Testing Laboratory), Surat

Note

The results relate only to the Items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/07 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Surat - 395 002

M: 97277 51088 T: 0261-2344773

e:info@en-vision.co.in e:lab@en-vision.co.in

AMBIENT AIR TEST REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT LTD.

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	02/10/2023
Report No.	231002_2324000_01_072

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No : 230925_2324000_01_072	05. Duration of Sampling: 8.0 HOURS
02. Location of Sampler : ON THE ADMIN OFFICE	06. Date of Sample Received: 25.09.2023
03. Name of Sampling Team: A	07. Date of Analysis Start : 26.09.2023
04. Date of Sampling: 25.09.2023	08. Date of Analysis Completion: 26.09.2023

[C] RESULT OF SAMPLE :

PARAMETERS	UNIT	LIMIT	RESULTS	TEST METHOD
PM ₁₀	μg/m ³	100	62.4	IS 5182 (Part-23) 2009 Gravimetric method
PM _{2.5}	µg/m³	60	34.3	Lab SOP-STP-A ₂ based on CPCB guideline, 2011 & Instrument Manual
NO _X	μg/m ³	80	17.4	IS 5182 (Part-6) (R.A2012)
SO ₂	μg/m³	80	12.7	IS 5182 (Part-2) (R.A2012)

1. Environmental Condition : Clear Sky.

En-Vision Environmental Services, (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/07 Revision No: 01 Date: 29.08.22.

viv.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,

Gujarat

ANNEXURE-VIII

HAZARDOUS WASTE GENERATION IN LAST SIX MONTHS

	COLID WASTE			NAME OF TH	E MONTH		
SR.NO.	SOLID WASTE GENERATION	April 2023	May 2023	June 2023	July 2023	August 2023	September 2023
1.	ETP Sludge(MT)	14	13.42	15.06	15.1	10.1	10
2.	Used Oil (Lit)	-	-	-	-	-	-
3.	Discarded Container (Nos.)	-	-	-	-	-	-

HAZARDOUS WASTE DISPOSAL IN LAST SIX MONTHS

STATEMENT OF ETP SLUDGE DISPOSEED OFF				
SR NO	Manifest No	Date of Disposal	Quantity (MT)	
1	2056035	05/04/2023	11.790	
2	2081219	29/04/2023	15.630	
3	2119645	08/06/2023	15.060	


	STATEMENT OF USED OIL DISPOOSED OFF			
SR NO	Manifest No	Date of Disposal	Quantity (MT)	
1	2150594	20/07/2023	2.340	
2	2186271	25/08/2023	2.980	

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

ANNEXURE-IX

MEMBERSHIP CERTIFICATE WITH TSDF



Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,

Gujarat



Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**

ANNEXURE-X

NOISE MONITORING REPORT



201 & 301, Union Trade Center (UTC)
Nr. Apple Hospital, Udhana Darwaja,
Surat - 395 002

M : 97277 51088
T : 0261-2344773
e : info@en-visi

T:0261-2344773
e:info@en-vision.co.in
e:lab@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA. SURAT-394305.

Issue Date	02/10/2023
Report No.	231002_2324000_06A_082

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No : 230925_2324000_06A_082	05. Duration of Sampling: 24.0 HRS.
02. No of Location: 01	06. Date of Sample Received: 26.09.2023
03. Name of Sampling Team: A	07. Date of Analysis Start : 26.09.2023
04. Date of Sampling: 25.09.2023	08. Date of Analysis Completion : 26.09.2023
09. Name of Location : ADMIN OFFICE	

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Unit	Time	Results
db(A)	22:00	56.8
db(A)	23:00	56.8
db(A)	00:00	56.4
db(A)	1:00	56.1
db(A)	2.00	55.3
db(A)	3.00	55.4
db(A)	4:00	54.7
db(A)	5:00	55.5

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/08 Revision No: 01 Date: 29.08.22.

ver.

(11) Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002 M : 97277 51088 T : 0261-2344773 e : info@en-vision.co.in Surat - 395 002

e: lab@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175,

VILL: JOLVA, TAL: PALSANA, SURAT-394305

Issue Date	02/10/2023
Report No.	231002_2324000_06A_083

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No: 230926_2324000_06A_083	05. Duration of Sampling: 24.0 HRS.
02. No of Location: 01	06. Date of Sample Received: 27.09.2023
03. Name of Sampling Team: A	07. Date of Analysis Start : 27.09.2023
04. Date of Sampling: 26.09.2023	08. Date of Analysis Completion: 27.09.2023

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE:

Unit	Time	Results
db(A)	6:00	74.3
db(A)	7:00	73.9
db(A)	8:00	74.4
db(A)	9:00	74.2
db(A)	10:00	74.7
db(A)	11:00	74.8
db(A)	12:00	74.1
db(A)	13:00	74.0
db(A)	14:00	74.6
db(A)	15:00	74.7
db(A)	16:00	73.9
db(A)	17:00	74.1
db(A)	18:00	74.6
db(A)	19:00	74.5
db(A)	20:00	75.4
db(A)	21:00	74.8

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 01 Date: 29.08.22.

our.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC)
Nr. Apple Hospital, Udhana Darwaja,
Surat - 395 002

M : 97277 51088
T : 0261-2344773 Surat - 395 002

e:info@en-vision.co.in e: lab@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD

PLOT NO. Z & E. BLOCK NO.128, 129,130 & 175, VILL: JOLVA. TAL: PALSANA. SURAT-394305..

Issue Date	02/10/2023
Report No.	231002_2324000_06A_083

[B] DESCRIPTION OF SAMPLING:

06. Date of Sample Received: 27.09.2023
07. Date of Analysis Start : 27.09.2023
08. Date of Analysis Completion: 27.09.2023

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE:

Unit	Time	Results
db(A)	22:00	74.5
db(A)	23:00	74.3
db(A)	00:00	73.9
db(A)	1:00	73.6
db(A)	2:00	74.8
db(A)	3:00	74.7
db(A)	4.00	74.1
db(A)	5:00	74.4

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Surat - 395 002

M: 97277 51088

T: 0261-2344773 e: info@en-vision.co.in

e : lab@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA,

02/10/2023 Issue Date Report No. 231002 2324000 06A 084

[B] DESCRIPTION OF SAMPLING:

SURAT-394305.

Date of Sample Received: 28.09.2023
Date of Analysis Start: 28.09.2023
Date of Analysis Completion: 28.09.2023

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE:

Unit	Time	Results
db(A)	6:00	67.3
db(A)	7:00	67.1
db(A)	8:00	68.2
db(A)	9:00	68.7
db(A)	10:00	68.0
db(A)	11:00	67.9
db(A)	12:00	69.1
db(A)	13:00	68.4
db(A)	14:00	69.2
db(A)	15:00	67.8
db(A)	16:00	68.1
db(A)	17:00	68.4
db(A)	18:00	66.8
db(A)	19:00	67.0
db(A)	20:00	64.9
db(A)	21:00	66.8

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory.

Fmt No: LAB/FM/08 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja,

Surat - 395 002

M: 97277 51088 T: 0261-2344773 e: info@en-vision.co.in

e : lab@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175,

VILL: JOLVA, TAL: PALSANA, SURAT-394305...

Issue Date	02/10/2023
Report No.	231002_2324000_06A_084

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No : 230927_2324000_06A_084	05. Duration of Sampling: 24.0 HRS.		
02. No of Location : 01	06. Date of Sample Received: 28.09.2023		
03. Name of Sampling Team: A	07. Date of Analysis Start : 28.09.2023		
04. Date of Sampling: 27.09.2023	08. Date of Analysis Completion: 28.09.2023		

09. Name of Location: MAIN GATE

10. Test Method: STP No.: No. Issue No.01 & Date:01.04.2014. (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Unit	Time	Results
db(A)	22:00	64.9
db(A)	23.00	65.9
db(A)	00:00	67.4
db(A)	1:00	65.6
db(A)	2:00	65.2
db(A)	3:00	67.8
db(A)	4:00	68.2
db(A)	5:00	65.6

End of Report

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., **Gujarat**



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

M: 97277 51088 T: 0261-2344773 : info@en-vision.co.in

e : lab@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD PLOT NO. Z & E,

BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	02/10/2023
Report No.	231002_2324000_06A_085

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No : 230928_2324000_06A_085	05. Duration of Sampling: 24.0 HRS.		
02. No of Location: 01	06. Date of Sample Received: 29.09.2023		
03. Name of Sampling Team: A	07. Date of Analysis Start: 29.09.2023		
04. Date of Sampling: 28.09.2023	08. Date of Analysis Completion: 29.09.202		

09. Name of Location: PLANT AREA

10. Test Method: STP No.: No, Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger

[C] RESULT OF SAMPLE:

Unit	Time	Results		
db(A)	6:00	67.6		
db(A)	7:00	67.9		
db(A)	8:00	68.1		
db(A)	9:00	68.7		
db(A)	10:00	65.8		
db(A)	11:00	67.2		
db(A)	12:00	68.1		
db(A)	13:00	67.7		
db(A)	14:00	67.4		
db(A)	15:00	67.9		
db(A)	16:00	68.4		
db(A)	17:00	67.1		
db(A)	18:00	68.0		
db(A)	db(A) 19:00			
db(A)	db(A) 20:00 68.8			
db(A)	21:00	67.1		

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

End of Report

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat



201 & 301, Union Trade Center (UTC) Nr. Apple Hospital, Udhana Darwaja, Surat - 395 002

M: 97277 51088 T: 0261-2344773

e:info@en-vision.co.in e:lab@en-vision.co.in

NOISE MEASUREMENT REPORT

[A] NAME & ADDRESS OF CUSTOMER: M/S.SHREE DURGA SYNTEX PVT.LTD

PLOT NO. Z & E, BLOCK NO.128, 129,130 & 175, VILL: JOLVA, TAL: PALSANA, SURAT-394305.

Issue Date	02/10/2023
Report No.	231002_2324000_06A_085

[B] DESCRIPTION OF SAMPLING:

01. Sample Inward No: 230928_2324000_06A_085	05. Duration of Sampling: 24.0 HRS.		
02. No of Location: 01	06. Date of Sample Received: 29.09.2023		
03. Name of Sampling Team: A	07. Date of Analysis Start: 29.09.2023		
04. Date of Sampling: 28.09.2023 08. Date of Analysis Comple			
09. Name of Location : PLANT AREA			

10. Test Method: STP No.: N_o , Issue No.01 & Date:01.04.2014, (Based on Instruction manual) Using noise level Meter with Data Logger.

[C] RESULT OF SAMPLE :

Unit	Time	Results	
db(A)	22:00	67.7	
db(A)	23:00	67.3	
db(A)	00:00	65.9	
db(A)	1 00	66.3	
db(A)	2:00	65.7	
db(A)	3 00	66.4	
db(A)	db(A) 4:00 66.7		
db(A)	5:00	66.8	

Note:

En-Vision Environmental Services, (Testing Laboratory), Surat

Note:

The results relate only to the items tested.

The test report shall not be reproduced except in full, without written approval of the laboratory. Fmt No: LAB/FM/08 Revision No: 01 Date: 29.08.22.

ver.

Tested By:

Mr. Vasant Shah (Technical Manager)

End of Report

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

ANNEXURE-XI

INDUSTRIAL RISK LIABILITY (INSURANCE POLICY)

THE NEW INDIA ASSURANCE CO. LTD. (Government of India Undertaking)





POLICY SCHEDULE FOR PUBLIC LIABILITY (Industrial Risks) INSURANCE

UIN NUMBER - IRDAN190P0078100001

Insured's Name		: SHREE DURGA SYNTEX PVT. LTD.				
		Insured's Details	Issuing Office Details		uing Office Details	
Customer ID	0	PO55693549	Office Code		CITY BRANCH B.O-I (230101)	
Address	:	BLOCK NO. 128/129/130 & 175, PLOT NO. Z & E, S.N. NO. 113/1, 120 & 120/1, VILLAGE: JOLVA, TAL: PALSANA, SURAT. CHALTHAN, GUJARAT, 394305	Address	:	1ST FLOOR, CENTER POINT NEAR KADIWALA HIGH SCHOOL RING ROAD, SURAT,395002	
Phone No	:	XXXXX6683	Phone No	:	02612464736 / 02612464737	
E-mail/Fax	1	dlgupta03@gmail.com, /	E-mail/Fax	1	nia.230101@newindia.co.in / 02612463921	
PAN No	:	AABCD8894P	S.Tax Regn. No	:	AAACN4165CST178	
GSTIN/UIN		24AABCD8894P1ZV / NA	GSTIN		24AAACN4165C2ZW	
	:		SAC	:	997139 (Other non-life insurance services excl RI)	

		Po	licy Details		
Policy Number	:	23010136220600000007	Business Source Code		
Period of Insurance	:	From: 01/02/2023 05:53:56 PM To: 31/01/2024 11:59:59 PM	Dev.Off. level/Broker/Corp. Agent/Web Aggregator/CPSC User		DIRECT BUSINESS - (1D4317076)
Date of Proposal	:	01-Feb-23	Agent/Bancassurance/S pecified Person	**	Mr. JAGDISHKUMAR. KHIMCHAND KHATRI (NIAAG00078169) JAGDISHKUMAR. KHATRI (SI00204874)
Prev. Policy no.	1	23010136210600000010	Phone No	:	9067690674 / NA
Client Type		Corporate	E-mail/Fax	:	er.jagdish.khatri@gmail.com, //

Premium(₹)	GST(₹)	Total(₹)	Total (₹ in words)	Receipt No. & Date
109,398	19,692	1,29,090	RUPEES ONE LAC TWENTY-NINE THOUSAND NINETY ONLY	2301018122000002051 3 - 01/02/23

Details of risk covered under current year policy:

				-			Deductibles	
Retroactive Date	Jurisdiction	AOA	AOA:AOY	AOY	Deductible Type (Amount/Per centage/Am ount & Percentage)	India	Worldwide excluding USA & Canada	Worldwide including USA & Canada
01/02/2018	India	50000000	1:1	50000000	AMT	250000	0	0

Retroactive Dates

								Deductible s	
Retroactive Date Details	Date	Jurisdiction	AOA	AOA:AOY	AOY	Deductible Type (Amount/Pe rcentage/A mount & Percentage	India	Worldwide excluding USA & Canada	Worldwide including USA & Canada
RETROAC TIVE DATE	01/02/201 8	India	50000000	1:1	50000000	AMT	250000	0	0



Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

THE NEW INDIA ASSURANCE CO. LTD. (Government of India Undertaking)



Nun	ber of Units	Voluntary Excess			
	3	Ó			
	T	ype of Manufacturing unit			
		nade yarn/fibre manufactur	ing		
Extensions under the Policy		***************************************			
Name of the E		Sub limit of the Exter	nsion	Deductibles of the Extension	
Accidental pollut		0	151011	As Per Policy Deductible	
Carriage of effluents (Ou		0	9	As Per Policy Deductible	
Godown		0		As Per Policy Deductible	
Act of GOD	cover	Y		As Per Policy Deductible	
	JOLWA TA (2) BLOCK	PALSANA SURAT	PAIKI PLOT NO	O 113/1 120&120/1 VILLAGE D 27 AND BLOCK NO 311 PAIKI A TA PALSANA SURAT	
*	NA NA				
Special Exclusions Special Excess/Deductible	NA	UPANCE policy claures affe	shod barawith		
Special Excess/Deductible	NA	URANCE policy clauses atta	sched herewith	1	
Special Excess/Deductible This Policy shall be subject to	NA	URANCE policy clauses atta	sched herewith	1	
Special Excess/Deductible This Policy shall be subject to	NA	URANCE policy clauses atta	ached herewith		
pecial Excess/Deductible This Policy shall be subject to Premium and GST Details Premium	NA		Amount In		
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GGST	NA	Rate of Tax	Amount in ₹ 1,09	INR ,398 9,846	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium 56ST 56ST	NA	Rate of Tax 9 9	Amount in ₹ 1,09	INR ,398 9,846	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium 56ST 56ST	NA	Rate of Tax	Amount in ₹ 1,09	INR ,398 9,846	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GGST GGST In witness whereof the under	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1,09 9,84	INR ,398 9,846	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GGST GGST In witness whereof the under Set his (their) hand(s)	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1,09 9,84	INR),398 9,846 16	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GGST GGST In witness whereof the under Set his (their) hand(s)	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1,09 9,84	INR),398 9,846 16	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GGST GGST In witness whereof the under Set his (their) hand(s)	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1,09 9,84	INR),398 9,846 16	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GGST GGST In witness whereof the under Set his (their) hand(s)	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1,09 9,84 0	INR ,398 9,846 46 he Insurers has (have) hereunde	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium 5GST 5GST GST In witness whereof the under	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1.05 9,84 0 I on behalf of ti	INR ,398 9,846 46 he Insurers has (have) hereunde for and on behalf of	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GGST CGST GST In witness whereof the under set his (their) hand(s) on this 01st day of February	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1.05 9,84 0 I on behalf of ti	INR ,398 9,846 46 he Insurers has (have) hereunde	
pecial Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GSST GSST In witness whereof the under Let his (their) hand(s) On this O1st day of February	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1.05 9,84 0 I on behalf of ti	INR ,398 9,846 46 he Insurers has (have) hereunde for and on behalf of	
pecial Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GSST GSST In witness whereof the under Let his (their) hand(s) On this O1st day of February	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1.05 9,84 0 I on behalf of ti	INR ,398 9,846 46 he Insurers has (have) hereunde for and on behalf of	
pecial Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GSST GSST In witness whereof the under Let his (their) hand(s) On this O1st day of February	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1,09 9,84 0 I on behalf of ti	INR ,398 9,846 He Insurers has (have) hereunde for and on behalf of lia Assurance Company Limited	
Special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GGST GGST In witness whereof the under Set his (their) hand(s)	NA to PUBLIC LIABILITY INSU	Rate of Tax 9 9 0	Amount in ₹ 1,09 9,84 0 I on behalf of ti	INR ,398 9,846 46 he Insurers has (have) hereunde for and on behalf of	
special Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GGST GST In witness whereof the underect his (their) hand(s) on this 01st day of February Date of Issue: 01/02/2023	NA to PUBLIC LIABILITY INSU ersigned being duly auth 1,2023.	Rate of Tax 9 9 0	Amount in ₹ 1,09 9,84 0 I on behalf of ti	INR ,398 9,846 He Insurers has (have) hereunde for and on behalf of lia Assurance Company Limited	
pecial Excess/Deductible This Policy shall be subject to Premium and GST Details Premium GSST GSST In witness whereof the under Let his (their) hand(s) On this O1st day of February	NA to PUBLIC LIABILITY INSU ersigned being duly auth 1,2023.	Rate of Tax 9 9 0	Amount in ₹ 1,09 9,84 0 I on behalf of ti	INR ,398 9,846 He Insurers has (have) hereunde for and on behalf of lia Assurance Company Limited	

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

ANNEXURE- XII

CSR ACTIVITY DETAILS


॥ श्री वीतरागाय नमः ॥ पदस्की रसीद पवस्की रसीद
भी अखिल भारतवर्षीय साधुमार्गी शान्त-क्रान्ति जैन श्रावक संघ, उदयपुर
/Illh पंजीकृत कार्यालय : नवकार भवन, एच-279, हिरण मगरी, सेक्टर-3, उदयपुर (राज.) -313 002
मोबाईल : 09352597007, Email : shramansanskriti@rediffmail.com
आयक्त अधिनियम 1961 की धारा 80-G, छूट पत्र क्रमांक : आ.आ./उदय/न्यायिक/2010-11/1137/दिनांक : 06-08-2010 एवं
परिपन्न सं. 7/2010 दिनांक 27-10-2010 द्वारा 80-G में छूट के अन्तर्गत मान्यता प्राप्त PAN No- AAFTS8246K URN = AAFTS8246KF20219
क्रमांक: 15181) दिनांक:31/8123
शीमान्शीमती Shace Dunga Syntex Put Ltd पता क्लोक कः 128, 129, 130 व 175, क्लोट कः Za E, गांच - जोलवा
21 19 19 19 19 19 19 19 19 19 19 19 19 19
ाञ्सील पलभागः प्रिला न्यूशत
मोबाईल नं. PAN No. A.A.B.C.08894P
सपये 111,000/- अक्षरे रूपये , 505 MIZE 2012 ADT
- TO IS CAPATE WHENCH OFFICE OF S.
बाबत् जाराता प्रिया अर्था कच्ची स्सीद संख्या हिनांक
नकद/चेक/ड्राफ्ट संख्या दिनांक चेक
शाखा
COL COLOR STANDS TONIO
1,11,000/- SIST COMPLE SAME STUTE (2101)
ह. कोषाध्यक्ष/प्रधारी लेखा
80-G छूट हेतु पेन कार्ड मो. नं. 9929805358 पर वाट्सअप करें
AND DESCRIPTION OF THE PERSON

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

ANNEXURE XIII

PAPER ADVERTISEMENT



Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Guiarat

ANNEXURE XIV

FUEL CONSUMPTION

SN	Month	COAL (MT/Month)
1	April 2023	11,351.00
2	May 2023	8,550.00
3	June 2023	11,376.00
4	July 2023	12,099.00
5	August 2023	12,497.00
6	September 2023	9,597.00

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., <u>Gujarat</u>

ANNEXURE XV



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

(079) 23222425 Phone :

(079) 23232152

Fax: (079) 23232156

"Consent to Establish-Amendmentebsite: www.gpcb.gov.in

BY R.P.A.D. Date:

NO: GPCB/CCA-SRT-995(4)/ID_21289/

M/s. Skree Durga Syntex Pvt. Ltd. Plot/No:- Z & E, Block No:- 128,129,130, & 175, Vili:- Joiva:- 394305,

Tal:- Palsana, Dist:- Surat.

Sub: Consent to Establish (NOC)-Amendment under Section 25 of Water Act 1974 and Section 21 of Air Act 1981

Ref: 1) Your application for CTE-Amendment no. 133903 received Dated. 05-03-2018.

Without prejudice to the powers of this Board under the Water (Prevention and Control of Pollution) Act-1974, the Air Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants Consent to Establish-Amendment for enhancement of existing production capacity and addition of new products, installation of new Steam Boiler & Thermic fluid heater in existing industrial plant/activities located at Plot No:- Z & E, Block No:- 128,129,130, & 175, Vill:- Jolva:-394305, Tal:- Palsana, Dist:- Surat, for the manufacturing of the following items:-

Sr.	Product	Quantity as per	Proposed quantity as	Total quantity	
No.		CCA	per CTE	after CTE-	
		dated:25/07/2017	Amendment quantity	A mendment	
l	Fully Drawn Yarn	300 Tons/Day	200 Tons/Day	500 Tons/Day	
2	Grey Cloth	2,50,000	1121	2,50,000	
		Meters/Day	0	Meters/Day	
3	Polyester Chips	600 Tons/Day	200 Tons/Day	800 Tons/Day	
4	Power	3.25 MW	21.0 MW	33.25 MW	
		9.0 MW	(Coal/Lignite Based		
		(Bagasse/gas	CPP)		
		based CPP)		i	
5	Partially Oriented	02	300 Tons/Day	300 Tons/Day	
	Yarn/Texturised	3	_	1	
	Yarn	0'			
6	Nylon-6		200 Tons/Day	200 Tons/Day	
	Chips/Nyton Yarn	2	_	1	
		By-Produ	iet		
1	Nylon Polymer	l	1.0 tones/day	1.0 tons/day	
	Lumps			1	

SUBJECT TO THE FOLLOWING CONDITIONS: -

The validity of this order will be up to years i.e. 09-05-2023,

Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)). 12.9

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

NOC COPY OF PROPOSED EXPANSION

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

- As per Provisions of Rule 18 of Solid Waste Management Rules-2016 you are directed to make an arrangement in Utilities to replace at least five percent (5%) of your solid fuel requirement by 'refused derived fuel'.
- Industry shall obtain NOC from CGWA as per order of Hon, National Green Tribunal for the withdrawal of ground water.
- Unit shall comply with Solid Fuel Guidelines as well as Coal handling guidelines of the Board.
- 6. Industry shall provide dedicated storage facility for fly ash.
- 7. Industry shall comply with fly ash notification 1999 as amended from time to time.

CONDITIONS UNDER WATER ACT 1974:

- 1. Water Source: Borewell.
- The quantity of the fresh water consumption for industrial purpose, after proposed expansion, shall be increased from 774 KL/Day to 1109 KL/Day.
- 3. The quantity of the water consumption for domestic purpose, after proposed expansion, shall be increased from 25 KL/Day to 30 KL/Day.
- 4. The quantity of the industrial effluent to be generated from the manufacturing process and other ancillary industrial operations, after proposed expansion, shall be increased from 180 KL/Day to 549 KL/Day (Total Booked load in CETP; 420 KL/Day)
- Industrial effluent, after necessary treatment shall be reused up to (397 KL/Day) & remaining shall be sent to CETP for further treatment. In no case industrial discharge of CETP shall increase 420 KL/Day.
- Industry shall provide fixed pipeline with flow meter for the reuse of effluent and maintain its records.
- 7. The effluent treatment plant consisting of the following units, as proposed by you, shall be installed.
 - Screen chamber
 - Oil separation tank
 - · Non pollution discarded water storage tank
 - Water transfer pump capacity
- 8. The quantity of the domestic waste water (Sewage), after proposed expansion, shall be increased from 22 KL/Day to 26 KL/Day.
- Domestic effluent shall be disposed off through septic tank/soak pit system.
- 10. The applicant shall operate effluent treatment system efficiently so that effluent from the industrial unit shall conform to the CETP inlet norms mentioned below however the final discharge of treated effluent from CETP shall adhere to the prescribed standards for CETP of M/s. Palsana Enviro Protecction Ltd(PEPL).

PARAMETERS	CETP INLET NORMS
PH	6.5 TO 8.5
Temperature	40° C
Colour (pt.co.scale) in units	100 units
Suspended Solids	300 mg/l
Oil and Grease	10 mg/l
Phenolic Compounds	l mg/j
Sulphides	2 mg/l
Ammenical Nitrogen	50 mg/l
Total Chromium	2 mg/l
Hexavelent Chromium	0.1 mg/i
BOD (5 days at 20°C)	400 mg/l
COD	/ 1000 mg/l

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

Total Dissolv	ed Solids		2100 mg/l
1 Ottal D 1000011	44 0001140	 	2.44

- 11. The final treated effluent confirming to the above standards shall be fully conveyed into CETP of M/s. Palsana Enviro Protection Ltd(PEPL) through underground drainage system of PEPL & in no case effluent shall be discharged in to Environment by any means.
- 12. In case of failure of CETP, applicant shall have to treat the trade effluent of their unit fully so as to achieve the quality of the treated effluent from their industrial premises as per the GPCB norms mentioned below:-

PARAMETERS	GPCB NORMS
PH	6.5 TO 8.5
Temperature	40 ⁰ €
Suspended Solids	100 mg/l
Oil and Grease	10 mg/l
Total Dissolved Solids	2100 mg/l
Phenolic Compounds	1 mg/l
Sulphides	2 .0 mg/L
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/l
Hexavelent Chromium	0.1 mg/l
BOD (5 days at 20°C)	30 mg/l
COD	100 mg/l
Chlorides	600 mg/l
Sulphate	1000 mg/l

OR

The applicant shall either stop or curtail its production activities, if the effluent is not adequately treated by the CETP of PEPL to conform to the standards specified by G.P.C.B.

- 13. The applicant shall be responsible for conveyance of entire treated effluent to the CETP of M/s, PEPL & due care shall be taken to avoid any leakage or spillage of effluent during conveyance of treated effluent through drain.
- 14. Unit shall provide flow meters at inlet & outlet of ETP & maintain its record.
- The applicant shall inform renewal/termination of CETP membership well in advance to GPCB.
- 16. The applicant shall be required to make storage facilities od adequate capacity to store the primary treated effluent for at least 48 hours by providing acid proof brick lined impervious tanks/HDPE tanks.
- 17. The applicant shalt make fixed arrangement for disposal of the effluent, after primary treatment to the CETP. The unit shall not keep any by-pass line or system or loose or flexible pipe line for discharging effluent into the under ground drainage system of PEPL.
- 18. Leachate from the hazardous solid waste, if any, shall also be connected into a collection tank through leachate collection facilities and shall be conveyed alongwith industrial effluent to the CETP of PEPL.
- 19. Magnetic flow meters shall be installed at the inlet & outlet of effluent collection tanks/ETP to measure the quantity of effluent discharging in to underground drainage system of PEPL.
- 20. The ENTIRE quantity of industrial effluent shall have to be conveyed by PEPL. In no circumstances the effluent either treated or untreated shall be discharged any where else.
- Disposal system for storm water shall be provided separately. In no circumstances storm water shall be mixed with the industrial effluent.
- 22. PEPL member unit have to modify / improve performance of existing Effluent treatment facilities for efficiency & adequacy in order to comply with prescribed in let standards.
- 23. The applicant shall keep accurate records of quantity of production of each product, quantity of water consumption, quantity of effluent generated and consumption of

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

- electricity on day to day basis and required to submit the complied record of one month to GPCB & PEPL on or before fifth day of the succeeding month.
- 24. In case of shut-down of plant for more than three days for any reason, the PEPL unit member shall intimate to PEPL authority & GPCB well in advance for the better operation & management of CETP.
- 25. The authorized representative of PEPL may have right of entry at any time for the purpose of inspection and monitoring the effluent collection facilities/ETP (if required) of the applicant.
- 26. If the PEPL authority terminates the membership of the applicant for CETP, the PEPL member unit shall have to close down the manufacturing activities/industrial operation of the process plant immediately until the PEPL membership is resumed.
- 27. The applicant shall put up at the entrance a board displaying PEPL membership number & date of joining of PEPL, the name of unit, particulars of the products/ process and the name of proprietor/partners /directors of the unit and the electricity consumer number as on the record of DGVCL.

CONDITIONS UNDER AIR ACT 1981:

28. The following shall be used as fuel in Steam Boiler, CPP Engines, & Thermic Fluid Heater and D.G.Set respectively.

Sr. No.	Fuel	Existing	Proposed	Quantity
1)	Imported	80 Tons/day	450 tons/day	530 tons/day
-	Coal			
	Lignite		700 tons/day	700 tons/day
2)	Natural gas	76875		76875
		sq.cm/day		sq.cm/day
3)	LDO	100 m ³ /day	****	100 m ³ /day
4)	Baggase	250 tons/day		250 tons/day
5)	LDO		0	57 Lit/hr

- 29. The applicant shall install & operate air pollution control system in order to achieve norms prescribed below.
- 30. The flue gas emission through team Boiler, CPP Engines, & Thermic Fluid Heater and D.G.Set stack shall conform to the following standards:

Stack No.	Stack attached to	Stack height in Meter	Air Pollution Control system	Parameter	Permissible Limit
Existing	3		<u> </u>		
1 to	Natural Gas Based CPP Engines - 3 Nos.	30 (each)		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
4	Natural Gas Based Steam Boiler (1 TPH)	317		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
5	Coal Based Thermic Fluid Heater (14000 U)	50	Electrostatic Precipitator	PM SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
5	Natural Gas Based Thermic Fluid Heater (200 U×2 nos)	20		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
S.				NO _x	5

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

7	Natural Gas & LDO/FO Based Thermic Fluid Heater (10000 U) × 2 One Stand by	35		PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
8	Captive Power Plant (9 MW)	80	Electro Static Precipitator	PM SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
Prop	osed			·	
1	Steam Boiler (70 TPH) for Coal based Power Plant (21 MW)	80	Economizer, Air Pre-heater, ESP	PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
2	Steam Boiler (23 TPH) for Coal based Power Plant (21 MW)				Ė
3	Thermic Fluid Heater (Coal based) (18 millilon Kcal/hr)	50	ESP	PM SO ₂ NO _x	150 mg/NM ³ 100ppm 50ppm
4	Steam Boiler (2 TPH)			i	

- 31. There shall be no process emission from the manufacturing process as well as any other ancillary process.
- 32. Industry shall take adequate measure to Control dusting due to storage, transportation & handling of Coal & fly ash.
- 33. Industry shall comply with Coal handling guideline of the Board.
- 34. Industry shall comply with fly ash notification 1999 as amended from time to time.
- 35. Stack monitoring facilities like port hole, platform/ladder etc., shall be provided with stacks/vents chimney in order to facilitate sampling of gases being emitted into the atmosphere.
- 36. The concentration of the following parameters in the ambient air within the premises of the industry and a distance of 10 meters from the sources (other than the stack/vent) shall not exceed the following levels.

PARAMETERS	PERMISSIBLE LIMIT					
PM 10	100 Microgram/M3					
PM 2.5	60 Microgram/M3					
SO ₂	80 Microgram/M3					
NOx	80 Microgram/M3					

37. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

CONDITIONS UNDER HAZARDOUS WASTE RULES:

38. Applicant shall have to comply with provisions of Hazardous and other Waste (Management and Trans Boundary Movement) Rules 2016.

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat., Gujarat

- 39. The applicant shall obtain membership of common TSDF site for disposal of Hazardous waste as categorized in Hazardous and other Waste (Management and Trans Boundary Movement) Rules 2016.
- 40. The applicant shall obtain membership of common Hazardous Waste incinerator for disposal of incinerable waste.
- 41. The applicant shall provide temporary storage facilities for each type of Hazardous Waste as per Hazardous and other Waste (Management and Trans Boundary Movement) Rules 2016.
- 42. The applicant shall obtain registration/authorization for recycling/reprocessing any hazardous waste before procuring material/starting production as per HW Rules 2016.
- 43. The applicant shall obtain authorization for recovery/reuses of any hazardous waste material as per HW Rules 2016.

GENERAL CONDITION:

- 44. Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is atleast 1000 trees per acre of land and a green belt of 3 meters width is developed.
- 45. The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act-1977.
- 46. In case of change of ownership/management the name and address of the new owners /partners/ directors/ proprietor should immediately be intimated to the Board.
- 47. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gaseous emission or sewage waste from the proposed industrial plant. The applicant is required to make applications to this Board for this purpose in the prescribed forms under the provisions of the Water Act-1974, the Air Act-1981 and the Environment (Protection) Act-1986.
- 48. The applicant also comply with the General conditions as per Annexure I attached herewith (No.1 to 38) (whichever applicable).
- 49. The concentration of Noise in ambient air within the premises of industrial unit shall not exceed following levels:

age and Import of Hazardo notection) Act-1986.

For and on behalf of GUJARAT POLLUTION CONTROL BOARD

(Smt U.K. Ur-Environme-

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

ANNEXURE XVI

EC COPY 2009

F. No. J-11011/98/2009- IA II (I) Government of India Ministry of Environment and Forests (I.A. Division)

Paryavaran Bhawan CGO Complex, Lodhi Road New Delhi – 110 003

E-mail: plahujarai@yahoo.com Telefax: 011 - 2436 3973 Dated: April 13, 2009

To.

The Director

M/s Shree Durga Syntex Pvt. Ltd

Block no. 129 & 175, plot no. Z & E, Village: Jolva

Taluka: Palsana, Dist: Surat, Gujarat

E-mail: shreedurgasyntex@yahoo.co.in

Subject: Expansion project for Fully drawn Yam, polyester Chips & Captive power plant at block no. 129 & 175, plot no. Z & E, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat by M/s Shree Durga Syntex Pvt. Ltd - reg_environmental clearance

Sir,

This has reference to your letter no. Nil Dated 6th February, 2009 along with Form-1 and pre-feasibility report on the above mentioned subject seeking environmental clearance under the Environmental Impact Assessment Notification, 2006.

- 2.0 The Ministry of Environment and Forests has examined your application. It is noted that M/s Shree Durga Syntex Pvt. Ltd have proposed for expansion of capacities for Fully Drawn Yarn, Polyester Chips & Captive power plant at block no. 129 & 175, plot no. Z & E, Village: Jolva, Taluka: Palsana, Dist: Surat, Gujarat. The production capacity of Fully Drawn yarn will increase from 40 MTPD to 300 MTPD and captive power plant will increase from 3.25 MW to 12.25 MW. It is proposed to manufacture 600 MTPD of polyester chips by continuous polymerization. It is proposed to increase production capacity along with backward integration of polyester chips/ liquid polyester to avoid melting process of polyester chips for producing FDY. No eco-sensitive areas are located within 10 km radius of the plant. The proposed expansion will be carried within the existing unit having land area of 9000 m2, of which green belt will be developed in 33% of the total land area. Cost of the project is Rs.150.00 Crores, of which Rs. 30.00 lacs is earmarked for Environmental Protection Measures.
- 3.0 The total water requirement after the expansion will be 799 m3/d, which will be sourced from ground water source. Permission for drawl of 315m3/d of ground water was obtained on 12.10.2007. The waste water generation will be 202 m3/day. The domestic effluent (22m3/d) will be disposed of into septic tank followed by soak pit. Source of industrial wastewater (180 m3/d. will be from floor washing, cooling blow down, DM back wash and process condensate. The wastewater after passing through settling tank will be discharged in to the pipeline of PEPL, leading to PEPL- CETP. Power requirement will be met through the Captive power plant. Fuel requirement will be natural gas (72,000 m3/day) or FO/LDO (100 m3/day) Stack height of 30 m is proposed for existing Gas Engine(3Nos) and 50 m for proposed DG sets (3 nos), 30 m for proposed Gas Engine(3Nos) and 65 m for proposed DG sets (3 nos). Stack height of 11 m is proposed for steam boiler. There will not be any solid waste generation from the process or ETP.

-2-

- 4.0 The Petrochemical based processing units are listed at serial no. 5(e) of schedule of EIA Notification, 2006 and categorized under "A" or "B" category depending upon the location of the plant outside or inside the notified industrial area. In the instant case, the unit is located outside the industrial area hence this is a category "A" project and appraised by the Expert Appraisal committee (I) at centre.
- 5.0 The proposal was considered by the Expert Appraisal Committee (Industry) in its 92ndmeeting held on 18th -20th March, 2009. The EAC (I) recommended the proposal for grant of

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,

Gujarat

environmental clearance under para 7(ii) of EIA Notification, 2006 exempting the project from preparation of EIA report and public hearing.

6.0 Based on the information submitted by the project authorities, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of ElA Notification, dated 14th September 2006 subject to the compliance of the following Specific and General Conditions:

A. SPECIFIC CONDITIONS:

- i. The industrial effluent generation shall not exceed 180m3/d. The effluent after treatment in the ETP and conforming to the prescribed standards shall be discharged into the pipeline of PEPL leading to CETP. The domestic effluent (22m3/d) shall be disposed through septic tank/soak pit.
- ii. There shall not be any process emissions due to the proposed activity. For dispersion of gaseous emissions from the steam boiler and DG sets, adequate height as per CPCB standards shall be provided. Acoustic enclosures / treatment shall be given to the DG sets to mitigate noise pollution. Measures for control of NOx emissions shall be undertaken.
- iii. The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the State Pollution Control Board. The criteria pollutant levels namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- iv. The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October, 1994 and January, 2000. All Transportation of Hazardous Chemicals shall be as per the MVA, 1989.

-3-

i. The company shall undertake following Waste Minimization measures:-

Metering and control of quantities of active ingredients to minimize waste.

Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.

Use of automated filling to minimize spillage.

Use of "Close Feed" system into batch reactors.

Venting equipment through vapour recovery system.

Use of high pressure hoses for equipment clearing to reduce wastewater generation.

- ii. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by GPCB.
- iii. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.
- iv. The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.
- v. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- vi. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

regular basis. Training to all employees on handling of chemicals shall be imparted.

viii. Usage of PPEs by all employees/ workers shall be ensured.

ix. Permission to draw ground water shall be undertaken fro the CGWB / State Ground Water Authority) as may be applicable to this case.

x. The company shall undertake rainwater harvesting measures to recharge the ground water as well as reduced consumption of water.

-4-

B. GENERAL CONDITIONS:

 The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board.

ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In *case* of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.

iv. The gaseous emissions (NOx, SO2 and SPM) and Particulate matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures *are* rectified to achieve the desired efficiency. Stack monitoring for SO2, NOx and SPM shall be carried.

v. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the up wind and downwind direction as well as where maximum ground level concentrations *are* anticipated.

vi. Dedicated scrubbers and stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided to control the emissions from various vents. The scrubbed water shall be sent to ETP for further treatment.

vii. The overall noise levels in and around the plant *area* shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

viii. The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in respect of environmental management and risk mitigation measures relating to the project shall be implemented.

-5-

ix. The company will undertake all relevant measures for improving the Socio-economic conditions of the surrounding area. CSR activities will be undertaken by involving local villages and administration

x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

xii. The project authorities shall earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.

xiii. The implementation of the project vis-a-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/SPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,

<u>Gujarat</u>

xiv.	A	copy	of the	clearance	letter	shall	be se	nt b	y the	propone	ent	to co	ncern	ed Par	nchayat, Zila
Parisad/Munic	ipal	Cor	poratio	n, Urban	local	Body	and	the	local	NGO,	if	any,	from	who	suggestions/
representations	s, if	any,	were re	ceived wh	ile pro	ocessii	ng the	prop	oosal.						

- xv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated E C conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board.
- xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

-6-

- 7.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- 8.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
- 9.0 Any appeal against this environmental clearance shall lie with the National Appellate Authority, if preferred, within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.
- 10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous Wastes (Management and Handling) Rules, 2003/2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

(Dr.P.L. Ahujarai) Director

Copy to:

- 1. The Secretary, Forests & Environment Department, Government of Gujarat, Sachivalaya, 8th Floor, Gandhi Nagar-382 010, Gujarat.
- 2. The Chief Conservator of Forests (Western Zone), Ministry of Environment & Forests, Regional Office, E-5, Arera Colony, Link Road -3, Bhopal -462 016, M.P.
- 3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi 110 032.
- 4. The Chairman, Gujarat State Pollution Control Board, Paryavaran Bhawan, Sector 10 A, Gandhi Nagar-382 043, Gujarat.
- Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi.
- Guard File/Monitoring File/Record File.

(Dr.P.L. Ahujarai) Director

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

ANNEXURE XVII

EC COPY 2018

S. M. SAIYAD, IFS MEMBER SECRETARY SEIAA (GUJARAT)



STATE LEVEL ENVIRONMENT
IMPACT ASSESSMENT
AUTHORITY
GUJARAT

Government of Gujarat

No. SEIAA/GUJ/EC/5(d)&1(d)/1346/2018

Date: 1 4 DEC 2018 By R P A D

Sub: Environment Clearance to M/s. Shree Durga Syntex Pvt Ltd. for setting up expansion of Manmade Fibre manufacturing plant and CPP at Plot No. E & Z, Block No 128, 129, 130 & 175, Vill. Jolwa, Ta.: Palsana, Dist: Surat. In Category 5(d)&1(d) of Schedule annexed with EIA Notification dated 14/09/2006.

Ref: Your Proposal No. SIA/GJ/IND2/18454/2017.

Dear Sir.

This has reference to your application along with Form-I dated 14/07/2018 submitted to SEIAA, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006 and additional information / documents submitted vide letter dated 19/09/2018 to the SEAC.

The proposal is for Environmental Clearance to M/s. Shree Durga Syntex Pvt Ltd. for setting up expansion of Manmade Fibre manufacturing plant and CPP at Plot No. E & Z, Block No 128, 129, 130 & 175, Vill. Jolwa, Ta.: Palsana, Dist: Surat. It is an existing unit for manufacturing following products, which falls in the category - 5(d)&1(d) of the schedule of the EIA Notification-2006:

Sr.	Name of the	CAS		End-use of the			
no.	Products	no. / Cl no.	Existing	Proposed	Total	products	
1	Polyester Chips	-	600 Tons/day	200 Tons/day	800 Tons/day	POY/FDY/ Making Fabric	
2	Fully Drawn Yarn (FDY)	-	300 Tons/day	200 Tons/day	500 Tons/day	Making Fabric	
3	Partially Oriented Yarn (POY)/ Texturised Yarn	- '		300 Tons/day	300 Tons/day	Making Fabric	
4	Nylon- 6 Chips/ Nylon Yarn	-	-	200 Tons/day	200 Tons/day	Making Fabric	
5	Power	-	3.25 MW (Natural Gas Based) 9.0 MW (Biomass (Agro waste/baggase) & Coal (15% as auxiliary fuel) based Captive power plant)	21.0 MW (Coal/ Lignite Based) Captive power Plant	33.25 MW	Power Generation	
By-Pro	oduct					1	
6	Nylon Polymer Lumps	-		1.0 Tons/day	1.0 Tons/day		

The project activity is covered in 5(d)&1(d) and is of 'B' Category. Public hearing was conducted on 22/02/2018.

The SEAC, Gujarat vide their letter dated 22/11/2018 had recommended to the SEIAA, Gujarat, to grant the Environment Clearance for the above-mentioned project based on its meeting held on 16/10/2018. The proposal was considered by SEIAA, Gujarat in its meeting held on 28/11/2018 at Gandhinagar. After careful consideration, the SEIAA hereby accords invitingmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 subject to the compilative of the following conditions.

A. CONDITIONS:

. 1 SPECIFIC CONDITION :

Unit shall adopt proper methods for segregation of waste water streams based on characteristics at source and its sound pransignment keeping in view direction under section 18 (1) (b) of the Water (Prevention and Control of Pollution) act, 1974 issued by CPCB regarding compliance of CETP.

Unit shall not exceed waste water discharge quantity into CETP of M/s: PEPL as mentioned in the existing CC&A.

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010 Phone No.:- (079) 232-32152,232-41514 Fax No.:- (079) 232-22784

E-mail: mssejaagj@gmail.com, Website:- www.sejaa.gujarat.gov.in

Page 1 of 7

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

- Unit shall comply the emission standards mentioned in the Notification by MoEF&CC vide no. S.O. 3305 (E) dated 07/12/2015 and amended time to time.
- Unit shall use only imported coal as a fuel for proposed captive power plant and lignite shall be used only in unavoidable circumstance as per undertaking submitted. In such situation, lignite consumption shall not exceed 4900 MT/Month considering 700 MT/Day X 7 days).
- 5. Process Waste (Oligomer) (10 MT/Month) shall be sold out to the authorized actual users only.

A. 2 WATER:

- 6. Total water requirement for the project shall not exceed 4307 KLD. Unit shall reuse 2555 KLD of waste water from RO Permeate and Boiler condensate for Cooling tower and Boiler respectively. Hence, fresh water requirement shall not exceed 1139 KLD and it shall be met through 3-Nos. of existing Bore well. Prior permission from the concerned authority shall be obtained for withdrawal of water.
- 7. No ground water shall be tapped for the project requirements without prior permission from the competent authority.
- Total Industrial wastewater generation after proposed expansion shall not exceed 549 KLD. (180.KL/day existing + 369 KL/day Proposed).
- Unit shall continue to discharge 180 KLD of treated waste water to CETP-PEPL as per the existing CC&A. Ensure that there is no additional discharge to CETP.
- Additional waste water to be generated from the proposed expansion shall not exceed 369 KLD and it shall be treated in proposed ETP followed by RO system (Cap. 400 KLD) & MEE system (Cap. 150 KLD).
- 11. RO permeate (240 KLD) and MEE condensate (127 KLD) shall be reused for cooling tower makeup.
- 12. Wastewater generated from washing activity for existing facility (40 KLD) shall be sent to CETP after treatment in existing ETP. Waste water generated from proposed washing activity (79 KLD) will be treated in proposed ETP, MF/UF & 2-stage RO followed by 4-stage MEE and treated water will be reuse in cooling tower make up water.
- 13. Wastewater generated from existing utilities (Boiler 26 KLD & Cooling 114 KLD) shall be treated in existing ETP and treated water send to CETP. Wastewater generated from proposed utilities (Boiler 178 KLD & Cooling 112 KLD) will be treated in MF/UF & 2-stage RO followed by 4-stage MEE and treated water will be reuse in cooling tower make to water.
- 14. The domestic wastewater generation shall not exceed 26 KLD and it shall be disposed in to the soak pit/septic tank
- 15. Proper logbooks of ETP, water consumption, power consumption, reuse etc. shall be maintained and shall be furnished to the GPCB from time to time.
- to the GPCB from time to time.

 16. The unit shall provide metering facility at the inlet & outlet of the ETP, RO, MEE system & reuse system and maintain records for the same.
- 17. Proper logbooks of ETP, RO, MEE system, chemical consumption, quantities and qualities of effluent reuse, effluent discharge to CETP, power consumption etc. shall be maintained and shall be furnished to the GPCB from time to time.
- 18. The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.

A. 3 AIR:

Unit shall not exceed fuel consumption for Steam Boiler and stand-by DG set as mentioned below:

Exis	ting						
Sr. no.	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/Day	Type of emissions	Air Pollution Control Measures (APCM)	
1	Steam boiler	11 m	WHRB		SPM SO₂ NOx	Adequate Stack height	
2	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.)	20 m (Common)	Natural Gas	22440 sq.cm/day	SPM SO ₂ NOx	Adequate Stack height	
3	Thermic Fluid Heater (Natural Gas Based) (2.0 Lakhs Kcal/Hr.) (Stand by)				SPM SO ₂ NOx	Adequate Stack height	
4	Thermic Fluid Heater (Natural Gas Based/LDO) (10 Million Kcal/Hr.)	35.0 m (Common)			SPM SO₂ NOx	Adequate Stack height	

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010 Phone No.:- (079) 232-32152,232-41514 Fax No.:- (079) 232-22784

E-mail: msseiaagj@gmail.com, Website:- www.seiaa.gujarat.gov.in

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

5	Thermic Fluid Heater	I	LDO	100	SPM	Adequate
	(LDO/NG Based) (10 Million Kcal/Hr.) (Stand by)			m3/day	SO ₂ NOx	Stack height
6	Thermic Fluid Heater (Coal based) (14 Million Kcal/Hr.)	50.0 m	Coal	80 MT/Day	SPM SO ₂ NOx	Electrostatic Precipitator
7	Steam boiler (1 TPH)	11 m	Natural Gas	51500 sq.cm/day	SPM SO₂	Adequate Stack height
8	* Natural Gas Based CPP Engines(3.25 MW)	30 m			NOx	Adequate Stack height
9	Steam Boiler (40 TPH) for Biomass (Agrowaste/baggase) & Coal (15% as auxiliary fuel) based Power Plant (9 MW) #	80.0 m	Bagasse& 15% Coal	250 ton/day & 35 MT/Day	SPM SO ₂ NOx	Economizer, Air Pre- heater, Electrostatic Precipitator



	(+ ·····) ··		I			
Prop	osed					
Sr.	Source of emission	Stack	Type of	Quantity	Type of	Air Pollution
no.	With Capacity	Height (meter)	Fuel	of Fuel MT/Day	emissions i.e. Air Pollutants	Control Measures (APCM)
		· · ·		WIIIDay		·
1	Steam Boiler (70 TPH)	80.0 m	Imported	450	SPM	Economizer, Air
1	for Coal based Power	1	Coal/Lignite	tons/day	SO ₂	Pre-heater,
	Plant (21 MW) #			or	NOx	Electrostatic
2	Steam Boiler (23 TPH)	1		700		Precipitator
J	for Coal based Power			tons/day		
1	Plant (21 MW) #			1		
3	Thermic Fluid Heater	50.0 m	1	ŀ	SPM	Electrostatic
<i>i</i> t	(Coal based)			Ţ	SO ₂	Precipitator (ESP)
	(18 Million Kcal/Hr.)				NOx	
4	Steam boiler (2 TPH)	1			ļ	

- 20. Unit shall provide adequate APCM with flue gas generation sources as mentioned above:
- 21. There shall be no process gas emission from existing as well as from the proposed project.
- 22. Sulfur and ash content of the fuel to be used shall be analyzed and its record shall be maintained.
- 23. A long term study of radio activity and heavy metals contents on coal/lignite to be used shall be carried out through a reputed institute and results thereof analyzed regularly and reported along with monitoring reports. Thereafter mechanism for an in-built continuous monitoring for radio activity and heavy metals in coal/lignite and fly ash (Including bottom ash) shall be put in place.
- 24. A flue gas stack of 80 m height shall be provided with online monitoring system to proposed Steam Boiler. Mercury emissions from stacks shall also be monitored on periodic basis. However, unit shall comply the specific condition no. 13 above regarding height of the Boiler stack.
- 25. High efficiency Electro Static Precipitators (ESP) with efficiency not less than 99.9% shall be installed for control of flue gas emission from the proposed Boilers. The ESP shall be operated efficiently to ensure that particulate matter emission does not exceed the GPCB norms. The control system shall be designed and integrated in plant DCS in such a way that if emission from ESP exceeds the specified standard prescribed in the Environment (Protection) Rules, 1986 as amended from time to time, utilization of boiler capacity shall reduce so that flue gas emission from the stack meets with the specified standards or boiler shall shut down totally.
- 26. Third party monitoring of the functioning of the ESP along with its efficiency shall be carried out once in a year through a reputed institute / organization.
- Lime stone injection technology shall be adopted to control SO2 and it shall be ensured that SO2 levels in the ambient air do not exceed the prescribed standards.
- 28. The company shall prepare schedule and carry out regular preventive maintenance of mechanical and electrical parts of ESPs and assign responsibility of preventive maintenance to the senior officer of the company.
- 29. Measures shall be taken to reduce the process vapors emissions as far as possible.
- 30. The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of Industrial Safety & Health). Following indicative guidelines shall also be followed to reduce the fugitive emission.
- 31. Internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular

Page 3 of 7

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010

Phone No.:- (079) 232-32152,232-41514 Fax No.:-(079) 232-22784 E-mail: msseiaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

movement

- 32. Air borne dust shall be controlled with water sprinklers at suitable locations in the plant.
- A green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission.
- 34. Regular monitoring of Volatile Organic Compounds (VOCs) shall be carried out in the work zone area and ambient air.
- 35. For control of fugitive emission, VOCs, following steps shall be followed:
- 36. Closed handling and charging system shall be provided for chemicals.
- 37. Pumps shall be provided with mechanical seals to prevent leakages.
- 38. Airborne dust at all transfers operations/ points shall be controlled either by spraying water or providing enclosures.
- 39. Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOx & VOC shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB.

A. 4 SOLID / HAZARDOUS WASTE:

- 40. The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016, as may be amended from time to time. Authorization of the GPCB shall be obtained for collection / treatment / storage / disposal of hazardous wastes.
- 41. Hazardous wastes shall be dried, packed and stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal.
- 42. Hazardous / Solid waste management shall be as below:

Sr.	Type of Hazardous	Source of generation	Category per HW	Quantity (MT/Annum)			Disposal Method
no.	waste	generation	Rutes.	Existing	Proposed	Total	<u> </u>
1	Used Oil	Maintenance	5.1	1.0 KI/Year	2.0 Kl/Year	3.0 Kl/Year	Sent To GPCB Approved Recycler For Suitable Treatment
2	Discarded Containers/ Barrels/Liners/ Carboys/ Bags/ Plastic waste	Raw Material / Production	33.1	10 Tons Year	15 Tons/Year	25 Tons/Year	Sent Back to Supplier/ To GPCB approved Recycler
3	Chemical Sludge from ETP	ETP	35.3	25.0 Tons/Year	50.0 Tons/Year	75.0 Tons/Year	Collection, Storage Transportation, Disposal at TSDF site (NECL, Nandesari, Baroda)
4	Process Waste (Oligomer)	Process	24.1	Nil	300.0 Tons/Year	300.0 Tons/Year	Collection, Storage Transportation, Disposal at TSDF site (NECL, Nandesari, Baroda)
5	Fly Ash from Boiler	Boiler		Nil	24000 Tons/Year	24000 Tons/Year	Sent To authorized Brick Manufacturer

- 43. Authorized end-users shall have permissions from the concerned authorities under the Rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 201
- 44. The unit shall obtain necessary permission from the nearby TSDF site and CHWIF.
- 45. Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.
- 46. The design of the Trucks/tankers shall be such that there is no spillage during transportation
- 47. All possible efforts shall be made for Co-Processing of the Hazardous waste prior to disposal into TSDF/CHWIF.
- 48. Management of fly ash (If any) shall be as per the Fly ash Notification 2009 & its amendment time to time and it shall be ensured that there is 100% utilization of fly ash to be generated from the unit.

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010
Phone No.:- (079) 232-32152,232-41514 Fax No.:- (079) 232-22784

E-mail: msseiaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

A. 5 SAFETY:

- 49. The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963.
- Project specific process Safety Management System shall be developed as per the prevailing norms and it shall be implemented in letter and spirit.
- 51. Unit shall adopt automization system along with high safety measures for polymerization process.
- 52. The project authorities shall strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite On-site and Off-site Disaster Management Plans have to be prepared and implemented.
- 53. First Aid Box shall be made readily available in adequate quantity at all the times.
- 54. Main entry and exit shall be separate and clearly marked in the facility.
- 55. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
- Storage of flammable chemicals shall be sufficiently away from the production area.
- 57. Sufficient number of fire extinguishers shall be provided near the plant and storage area.
- 58. All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of toxic / hazardous chemicals.
- 59. All the toxic/hazardous chemicals shall be stored in optimum quantity and all necessary permissions in this regard shall be obtained before commencing the expansion activities.
- 60. The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment report.
 - Flame proof electrical fittings shall be provided in flame proof zones or wherever applicable in Plant premises
 - Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks / containers instead of containers instead of containers.
- 3. All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals.
 - . Handling and charging of the chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs.
- 65. Tie up shall be done with nearby health care unit / doctor for seeking immediate medical attention in the case of emergency.
- 66. Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised.
- 67. First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.
- 68. Training shall be imparted to all the workers on safety and health aspects of chemicals handling.
- 69. Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.
- 70. Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules.
- 71. The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report.
- 72. Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning of the project.

A. 6 NOISE:

nace As

73. The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.

A. 7 CLEANER PRODUCTION AND WASTE MINIMISATION;

- 74. The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP tearn in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.
- 75. The company shall undertake various waste minimization measures such as :
- 76. Metering and control of quantities of active ingredients to minimize waste.
- 77. Reuse of by-products from the process as raw materials or as raw materials substitutes.
- Use of automated and close filling to minimize spillages.
- 79. Use of close feed system into batch reactors.
- 80. Venting equipment through vapour recovery system.
- 81. Use of high pressure hoses for cleaning to reduce wastewater generation.
- 82. Recycling of washes to subsequent batches.
- 83. Recycling of steam condensate

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010

Phone No.:- (079) 232-32152,232-41514 Fax No.:-(079) 232-22784 E-mail: msseiaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in

Page 5 of 7

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

- 84. Sweeping / mopping of floor instead of floor washing to avoid effluent generation.
- 85. Regular preventive maintenance for avoiding leakage, spillage etc.

A. 8 GREEN BELT AND OTHER PLANTATION:

- 86. The unit shall develop green belt within premises as per the CPCB guidelines. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation on road sides and suitable open areas in GIDC estate or any other open areas in consultation with the GIDC / GPCB and submit an action plan of plantation for next three years to the GPCB.
- 87. Orip irrigation / low-volume, low-angle sprinkler system shall be used for the green belt development within the premises.

 3. OTHER CONDITIONS:
 - 88. In case of use of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that there should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray dryer & it's APCM through the credible institutes and study report for impacts on Environment and Human Health shall be submitted to GPCB every year along with half yearly compliance report.
 - 89. The project proponent shall allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEFCC's Office Memorandum No. F.No.22-65/2017-IA.III dated 01/05/2018 to carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of half-yearly compliance report and to district collector. The monitoring report shall be posted on the website of the project proponent.
 - 90. All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by M/s: Envision Enviro Technologies Pvt. Ltd., Surat was submitted by project proponent vide letter no. NIL dated 03/07/2018 and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhered to in letter and spirit.
 - 91. Rain water harvesting of surface as well as rooftop runoff shall be undertaken and the same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter.
 - 92. The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the Industrial Association or GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.
 - 93. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.
 - 94. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.
 - 95. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
 - 96. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
 - 97. In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.
 - 98. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.
 - 99. During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.
 - 100.Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.
 - 101. Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly.
 - 102.No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
 - 103.The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
 - 104. The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.
 - 105.The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.
 - 106.The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.

Period - April 2023 TO September 2023

Project Details - Expansion of Manmade Fiber manufacturing plant & CPPBy M/s. Shree Durga Syntex
Pvt Ltd at Plot no.: E & Z, block no. 128, 129, 130 & 175, Village: Jolva, Taluka: Palsana, Dist: Surat.,
Gujarat

- 107. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/ GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.
- 108. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of the environmental protection and management.
- 109.It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.
- 110. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986
- 111. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
- 112. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.
- 113. The company in a time bound manner shall implement these conditions. The SEiAA reserves the right to stipulate additional conditions, if the same is found necessary.
- 114. The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- 115. This environmental clearance is valid for seven years from the date of issue.
- 116.Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

117. Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

With regards, Yours sincerely,

ect As

 $\Delta \mathbf{A}$

(S. M. SAIYAD) Member Secretary

Issued to:

M/s. Shree Durga Syntex Pvt Ltd.

Plot No. E & Z, Block No 128, 129, 130 & 175,

Vill. Jolwa, Ta.: Palsana, Dist: Surat

Office: Gujarat Pollution Control Board, "Paryavaran Bhavan" Sector-10 A, Gandhinagar-382010 Phone No.:- (079) 232-32152,232-41514 Fax No.:- (079) 232-22784

E-mail: msseiaagi@gmail.com, Website:- www.seiaa.gujarat.gov.in

Page 7 of 7